

223551



Kristy D. Clark
General Attorney

BNSF Railway Company
PO Box 981039
Fort Worth, TX 76161
2500 Lou Menk Drive - AOB-3
Fort Worth, TX 76131-2828
817-352-3384
817-352-2387 fax

Kristy.Clark@BNSF.com

September 5, 2008

Ms. Anne K. Quinlan, Acting Secretary
Surface Transportation Board
395 E Street S.W.
Washington, DC 20423-0001

ENTERED
Office of Proceedings
SEP 8 - 2008
Part of
Public Record



Re: STB Docket No. AB-6 (Sub-No. 463X)
BNSF Railway Company Abandonment Exemption in King County, Washington

Dear Ms. Quinlan.

Enclosed for filing in STB Docket No. AB-6 (Sub-No. 463X) are the original and ten copies of BNSF Railway Company's Notice of Exemption under 49 C.F.R. § 1152.50

Also enclosed is a check in the amount of \$3,700.00 for the filing fee


Sincerely,

Kristy D. Clark
General Attorney

Enclosures: As stated

KDC/so

**BEFORE THE
SURFACE TRANSPORTATION BOARD**



BNSF RAILWAY COMPANY)
ABANDONMENT EXEMPTION)
IN KING COUNTY, WASHINGTON)

DOCKET NO. AB-6
(SUB-NO. 463X)

NOTICE OF EXEMPTION

ENTERED
Office of Proceedings
SEP 8 - 2008
Part of
Public Record

BNSF RAILWAY COMPANY
2650 Lou Menk Drive
P O. Box 96157
Fort Worth, TX 76161-0057

FEE RECEIVED
SEP 8 - 2008
SURFACE
TRANSPORTATION BOARD

Kristy D. Clark
General Attorney
BNSF Railway Company
2500 Lou Menk Drive, AOB-3
Fort Worth, Texas 76131

Dated: September 5, 2008

FILED
SEP 8 - 2008
SURFACE
TRANSPORTATION BOARD

**BEFORE THE
SURFACE TRANSPORTATION BOARD**

BNSF RAILWAY COMPANY)	
ABANDONMENT EXEMPTION)	DOCKET NO. AB-6
IN KING COUNTY, WASHINGTON)	(SUB-NO. 463X)

NOTICE OF EXEMPTION

BNSF Railway Company ("**BNSF**") files this Verified Notice of Exemption pursuant to the class exemption at 49 C F R § 1152.50 to abandon the 7.30-mile rail line located between milepost 0.00 and milepost 7.30 in King County, Washington (the "**Line**").

1. *Proposed consummation date.*

The proposed consummation date is November 5, 2008.

2. *Certification required by 49 C.F.R. § 1152.50(b).*

The required certification is attached hereto as Exhibit A

3. *Information required by 49 C.F.R. § 1152.22(a)(1) through (4), (7) and (8) and (e)(4).*

(a) *General.*

(1) *Exact name of applicant.*

BNSF Railway Company

- (2) ***Whether applicant is a common carrier by railroad subject to 49 U.S.C. Subtitle IV, Chapter 105.***

BNSF is a common carrier by railroad subject to 49 U.S.C. Subtitle IV, Chapter 105

- (3) ***Relief sought.***

BNSF seeks to use the class exemption at 49 C.F.R. § 1152.50 to abandon the 7.30-mile rail line located between milepost 0.00 at Woodinville and milepost 7.30 at Redmond, in King County, Washington. There has been no local freight rail traffic on the Line in over two years and all overhead traffic can be rerouted.

- (4) ***Map.***

A map of the Line is attached as Exhibit B

- (7) ***Name, title and address of representative of applicant to whom correspondence should be sent.***

Kristy Clark
General Attorney
BNSF Railway Company
2500 Lou Menk Drive, AOB-3
Fort Worth, TX 76131

- (8) ***List of all United States Postal Service ZIP codes that the line proposed for abandonment traverses.***

The Line traverses ZIP codes: 98011, 98034, 98052 and 98072.

- (e) ***Rural and community impact.***

- (4) ***Statement of whether the properties proposed to be abandoned are appropriate for use for other public purposes, including roads and highways, other forms of mass transportation, conservation, energy production or transmission, or recreation. If the applicant is aware of any restriction on the title to the property, including any reversionary interest, which would affect***

the transfer of title or the use of property for other than rail purposes, this shall be disclosed.

The Line traverses predominantly suburban/urban areas with more than adequate road and highway networks, therefore, there is little or no likelihood that the rail corridor is needed for transit purposes. However, the right-of-way is suitable for recreational trails. Some of the property underlying the right-of-way is reversionary, which would affect the transfer of the property for other than rail or rail-banking purposes.

4. *The level of labor protection.*

The interests of railroad employees who may be adversely affected by the proposed abandonment will be adequately protected by the labor protective conditions in *Oregon Short Line R Co – Abandonment – Goshen*, 360 I C.C. 91 (1979).

5. *Certification.*

Certificates of compliance with the notice requirements of 49 C.F.R. §§ 1152.50(d)(1) and 1105.11 are attached as Exhibit C.


6. *Environmental Report.*

The Environmental Report containing information required by 49 C.F. R. § 1105.7(e) is attached hereto as Exhibit D. Based on information in our possession, the Line does not contain federally granted rights-of-way. Any documentation in BNSF's possession will be made available promptly to those requesting it.

7. *Historic Report.*

The Historic Report containing information required by 49 C.F.R. § 1105.8 is attached hereto as Exhibit E.

Respectfully submitted,



KRISTY CLARK
General Attorney
BNSF Railway Company
2500 Lou Menk Drive, AOB-3
Fort Worth, Texas 76131

Dated: September 5, 2008

EXHIBIT A

**VERIFICATION AND CERTIFICATION THAT RAIL LINE MEETS
CRITERIA OF 49 C.F.R. SECTION 1152.50(b)**

STATE OF TEXAS)
) **ss.**
TARRANT COUNTY)

I, Susan Odom, being duly sworn depose and state that I am Manager Network Strategy for BNSF Railway Company ("**BNSF**"), that I am authorized to make this verification and that I have read the foregoing Notice of Exemption and know the facts asserted therein are true and accurate as stated to the best of my knowledge, information and belief

I hereby certify that no local traffic has been handled to or from any customer over the rail line located between milepost 0.00 in Woodinville and milepost 7.30 in Redmond, in King County, Washington ("the **Line**") for at least two (2) years prior to the date hereof and all overhead traffic can be rerouted. Further, no formal complaint filed by a user of rail service on the Line (or a State or local government entity acting on behalf of such user) regarding cessation of service over the Line either is pending with the Surface Transportation Board or any U S District Court or has been decided in favor of a complainant within the two-year period

The foregoing certification is made on behalf of BNSF by the undersigned after due and careful investigation of the matters herein certified and based on the best of the knowledge, information and belief of the undersigned



Susan Odom
Manager Network Strategy

SUBSCRIBED AND SWORN TO before me this 5th day of September, 2008

My Commission Expires. 9/8/2010



Notary Public



EXHIBIT B




EXHIBIT C

CERTIFICATE OF SERVICE

Pursuant to 49 C.F.R. § 1152 50(d)(1), the undersigned hereby certifies that notice of the proposed abandonment in STB Docket No. AB-6 (Sub-No. 463X) was mailed via first class mail on August 22, 2008, to the following parties.

State Public Service Commission

Washington Utilities and Transportation Commission
PO Box 47250
Olympia, WA 98504

Military Traffic Management Command

Military Traffic Management Control
ATTN: Railroads for National Defense
720 Thimble Shoals Blvd., #130
Newport News, VA 23606-2574

National Park Service

U S. Department of the Interior
National Park Service
Recreation Resources Assistance Division
1849 C Street, NW
Washington, DC 20240-0001

U.S. Department of Agriculture

U.S. Department of Agriculture
Chief of the Forest Service
4th Floor N.W., Yates Building
201 14th Street, SW
Washington, DC 20250

Dated: September 5, 2008



Kristy Clark, General Attorney

CERTIFICATE OF PUBLICATION

The undersigned hereby certifies that notice of the proposed abandonment in STB Docket No AB-6 (Sub-No. 463X) was published on August 24, 2008, in the *The Seattle Times*, a legal newspaper published daily in King and Snohomish counties, Washington as required by 49 C.F.R. § 1105.12

Dated September 5, 2008



Kristy Clark, General Attorney

The Seattle Times



REPRESENTING THE ~~Seattle Post-Intelligencer~~
PO Box 70, Seattle, WA 98111

BNSF RAILWAY COMPANY
John Sims
2500 LOU MENK DRIVE
FORT WORTH, TX 761312828

Re Advertiser Account #9813016
Ad # 771524000

Affidavit of Publication


3952403 / 1

STATE OF WASHINGTON
Counties of King and Snohomish

The undersigned, on oath states that he/she is an authorized representative of The Seattle Times Company, publisher of The Seattle Times and representing the Seattle Post-Intelligencer, separate newspapers of general circulation published daily in King and Snohomish Counties, State of Washington. The Seattle Times and the Seattle Post-Intelligencer have been approved as legal newspapers by orders of the Superior Court of King and Snohomish Counties.

The notice, in the exact form annexed, was published in the regular and entire issue of said paper or papers and distributed to its subscribers during all of the said period.

Newspaper	Publication Date
The Seattle Times	08/24/08



Agent Debbie Collantes

Signature *Debbie Collantes*

Subscribed and sworn to before me on

August 28, 2008
(DATE)

Maureen E. Duggan
(NOTARY SIGNATURE)

Notary Public in and for the State of Washington, residing at Seattle

The Seattle Times



REPRESENTING THE ~~Seattle Post-Intelligencer~~

Re Advertiser Account #9813016

Ad # 771524000

**Ad TEXT: NOTICE OF INTENT
TO ABANDON**

BNSF Railway Company ("BNSF") gives notice that on or about September 2, 2008 it intends to file with the Surface Transportation Board ("Board") a notice of exemption under 49 CFR §1152 Subpart F--Exempt Abandonments permitting the abandonment of a 7.30-mile line of railroad between railroad milepost 0.00, at Woodinville, Washington and railroad milepost 7.30 at Redmond, Washington (the "Line"). The Line traverses through United States Postal Service ZIP Codes 98011, 98034, 98052 and 98072 in King County, Washington. The proceeding will be docketed as No. AB-6 (Sub-No. 463X).

The Board's Section of Environmental Analysis (SEA) will generally prepare an Environmental Assessment (EA), which will normally be available 25 days after the filing of the notice of exemption. Comments on environmental and energy matters should be filed no later than 15 days after the EA becomes available to the public and will be addressed in a Board decision. Interested persons may obtain a copy of the EA or make inquiries regarding environmental matters by contacting SEA.

Questions regarding offers of financial assistance, public use or trails use may be directed to the Board's Office of Congressional and Public Services. Appropriate offers of financial assistance to continue rail service and requests

for environmental conditions, public use conditions or rail banking/trails use can be filed with the Board. An original and ten copies of any pleading that raises matters other than environmental issues must be filed directly with the Board's Office of the Secretary. An additional copy must be served on BNSF. Copies of any comments or requests for conditions should also be served on BNSF.

Contact Information
BNSF Railway Company
Attn: Kristy Clark
PO Box 98157
Fort Worth, TX 76161-0057

Surface Transportation Board
Section of Environmental Analysis
395 E Street SW
Washington, DC 20423
Telephone: 202-245-0291

Surface Transportation Board
Office of the Secretary
395 E Street SW
Washington, DC 20423

Surface Transportation Board
Office of Congressional and Public Services
Telephone: 202-245-0230
E-mail:
Congressional Public Services
@stb dot gov

**CERTIFICATE OF SERVICE
ENVIRONMENTAL AND HISTORIC REPORTS**

Pursuant to the requirements of 49 C.F.R. § 1105.7 and 1105.8, the undersigned hereby certifies that copies of the foregoing Environmental and Historic Reports were mailed via first class mail on August 11, 2008 to the following agencies.

Russell Holter
Dept. of Archaeology and Historic
Preservation
1063 S. Capitol Way, Suite 106
Olympia, WA 98501

Larry Gosset, Chair
Growth Mgmt & Nat. Resources Committee
Metropolitan King County Council
516 Third Avenue, Room 1200
Seattle, WA 98104

Tom Sibley
National Marine Fisheries Service
7600 Sand Point Way NE
Seattle, WA 98115-0070

NOAA
National Geodetic Survey
VIA E-Mail. NGS InfoCenter@noaa.gov

Charles Natsuhara, Area Soil Scientist
Natural Resource Conservation Service
1011 East Main, Suite 106
Puyallup, WA 98372

Jim Green
Seattle District Corps of Engineers
P.O. Box 3755
Seattle, Washington 98124-3755

Loree' Randall
Shore Lands & Coastal Zone Mgmt.
PO Box 47600
Olympia, WA 98504-7600

Clifford J. Villa, Assistant Regional Counsel
U.S. EPA, Region 10
1200 Sixth Avenue
Seattle, WA 98101

Karen Myers, Fish and Wildlife Biologist
U.S. Fish and Wildlife Service
Western WA Fish and Wildlife Office
510 Desmond Drive SE
Lacey, WA 98503

Gregory F. Gress, Chief
Pacific Land Resources Program Center
U.S. National Park Service,
Pacific West Region
1111 Jackson Street, Suite 700
Oakland, CA 94607

Gerald Shervey, PE
Washington Department of Ecology
NW Regional Office
3190 160th Avenue SE
Bellevue, WA 98008-5452

Larry Fisher, Area Habitat Biologist
Washington Dept. of Fish & Wildlife
16018 Mill Creek Boulevard
Mill Creek, WA 98012

Washington Utilities and Transportation
Commission
PO Box 47250
Olympia, WA 98504



Kristy Clark, General Attorney

EXHIBIT D

[Environmental Report follows]

**BEFORE THE
SURFACE TRANSPORTATION BOARD**

BNSF RAILWAY COMPANY)	
ABANDONMENT EXEMPTION)	DOCKET NO. AB-6
IN KING COUNTY, WASHINGTON)	(SUB-NO. 463X)

ENVIRONMENTAL REPORT

BNSF RAILWAY COMPANY
2650 Lou Menk Drive
P.O. Box 96157
Fort Worth, TX 76161-0057

Kristy D. Clark
General Attorney
BNSF Railway Company
2500 Lou Menk Drive, AOB-3
Fort Worth, Texas 76131

Service Date: August 11, 2008

ENVIRONMENTAL REPORT

(49 C.F.R. § 1105.7)

(1) Proposed Action and Alternatives. Describe the proposed action, including commodities transported, the planned disposition (if any) of any rail line and other structures that may be involved, and any possible changes in current operations or maintenance practices. Also describe any reasonable alternatives to the proposed action. Include a readable, detailed map and drawings clearly delineating the project.

BNSF Railway Company ("**BNSF**") proposes to abandon the 7.30-mile rail line located between Milepost 0.00, at Woodinville, and Milepost 7.30, at Redmond, in King County, Washington (the "**Line**") A map of the project area is attached as Exhibit A

There has been no local freight traffic on the Line for more than two years. The Spirit of Washington dinner train, however, has operated over a portion of the Line between Milepost 0.00 and Milepost 1.86 at the Columbia Winery until discontinuing service in early 2008

The Line will not be salvaged The Port of Seattle ("**Port**") intends to purchase the Line from BNSF with track and structures intact Possible future uses include trail use and commuter rail service. To the best of BNSF's knowledge, the Port intends to allow King County, Washington to railbank the Line and the Port will determine the Line's ultimate use after seeking input from the public. In addition, the city of Redmond, Washington has an interest in acquiring a portion of the Line to tie into their existing trail system.

(2) Transportation System Describe the effect of the proposed action on regional or local transportation systems and patterns. Estimate the amount of traffic (passenger or freight) that will be diverted to other transportation systems or modes as a result of the proposed action.

There will be no passenger or freight traffic diverted to other transportation systems as a

result of the proposed abandonment. There has been no local freight traffic over the Line for more than two years and the Spirit of Washington has ceased its operations in the area. The Line is stub-ended and not capable of handling overhead traffic.

(3) Land Use

(i) Based on consultation with local and/or regional planning agencies and/or review of the official planning documents prepared by such agencies, state whether the proposed action is consistent with existing land use plans. Describe any inconsistencies.

The proposed action is consistent with existing land use plans. The real and personal property will be sold to the Port. The Port has entered into a purchase and sale agreement with BNSF for the Line dated March 12, 2008 and King County intends to railbank the Line for inclusion in its trail program as stated above. The BNSF Rail Corridor Preservation Study, a publication in the public domain prepared by Puget Sound Regional Council, supports retaining the BNSF corridor.

BNSF contacted the Metropolitan King County Council concerning the proposed abandonment on May 29, 2008 (see our letter to Metropolitan King County Council, attached hereto as Exhibit B). As of the date of this Environmental Report, the Metropolitan King County Council has not responded directly to our inquiry.

On July 2, 2008, BNSF spoke with Craig Larsen, the city of Redmond's Director of Parks and Recreation, who stated the city was prepared to purchase at least one mile of the corridor from the Port as soon as the Port's purchase with BNSF is closed. Larsen further stated that it is the city's intent to use the Line to extend

their existing trail system further north.

(ii) Based on consultation with the U.S. Soil Conservation Service, state the effect of the proposed action on any prime agriculture land.

Charles Natsuhara, Area Resource Soil Scientist for the Natural Resources Conservation Service, stated in his January 31, 2008 letter (copy attached hereto as Exhibit C), "the proposed abandonment will have no effect on any prime agricultural, or other important farmlands "

(iii) If any action affects land or water uses within a designated coastal zone, include the coastal zone information required by § 1105.9.

The proposed abandonment is located within a designated coastal zone Loree Randall, Federal Permit Unit, Shorelands and Environmental Assistance Program, Washington Department of Ecology, stated in an e-mail dated June 19, 2008 (copy attached hereto as Exhibit D) "I would agree that at this time CZM review is not required However if the Port of Seattle in future plan on conducting any improvements for a commuter rail they will need to go through the CZM review process".

(iv) If the proposed action is an abandonment, state whether or not the right-of-way is suitable for alternative public use under 49 U.S.C. § 10905 and explain why.

The right-of-way is suitable for use as a trail King County intends to railbank the Line for inclusion in its trail program. The city of Redmond is also interested in trailing a portion of the Line.

(4) Energy

(i) Describe the effect of the proposed action on transportation of energy resources.

The proposed abandonment will have no effect on the transportation of energy resources

(ii) *Describe the effect of the proposed action on recyclable commodities.*

The proposed abandonment will not adversely affect movement or recovery of recyclable commodities.

(iii) *State whether the proposed action will result in an increase or decrease in overall energy efficiency and explain why.*

The proposed action will have no effect on overall energy efficiency as no local traffic has been handled on the Line for at least two years and the Line is not capable of handling overhead traffic. Also, the Spirit of Washington dinner train ceased operations in the area.

(iv) *If the proposed action will cause diversions from rail to motor carriage of more than:*

(A) *1,000 rail carloads a year, or*

(B) *an average of 50 rail carloads per mile per year for any part of the affected line, quantify the resulting net change in the energy consumption and show the data and methodology used to arrive at the figure given.*

The proposed abandonment will not result in a diversion of rail to motor carriage.

(5) Air

(i) *If the proposed action will result in either:*

(A) *an increase in rail traffic of at least 100 percent (measured in gross ton miles annually) or an increase of at least eight trains a day on any segment of the line affected by the proposal, or*

(B) *an increase in rail yard activity of at least 100 percent (measured by*

carload activity), or

(C) an average increase in truck traffic of more than 10 percent of the average daily traffic or 50 vehicles a day on any affected road segment, quantify the anticipated effect on air emissions.

The proposed action will not result in meeting or exceeding the specified thresholds for increased rail or truck traffic as outlined in (i) (A), (B) or (C) above.

(ii) If the proposed action affects a class I or nonattainment area under the Clean Air Act, and will result in either:

(A) an increase in rail traffic of at least 50 percent (measured in gross ton miles annually) or an increase of at least three trains a day on any segment of rail line,

(B) an increase in rail yard activity of at least 20 percent (measured by carload activity), or

(C) an average increase in truck traffic of more than 10 percent of the average daily traffic or 50 vehicles a day on a given road segment, then state whether any expected increased emissions are within the parameters established by State Implementation Plan. However, for a rail construction under 49 U.S.C. § 10901 (or 49 U.S.C. § 10505) or a case involving the reinstitution of service over a previously abandoned line, only the three train a day threshold in this item shall apply.

The proposed action will not result in meeting or exceeding the specified thresholds in (ii) (A), (B) or (C) above.

(iii) If the transportation of ozone depleting materials (such as nitrogen oxide and Freon) is contemplated, identify: the materials and quantity; the frequency of service; safety practices (including any speed restrictions); the applicant's safety record (to the extent available) on derailments, accidents and spills; contingency plans to deal with accidental spills; and the likelihood of an accidental release of ozone depleting materials in the event of a collision or derailment.

The proposed abandonment will not affect the transportation of ozone depleting materials

(6) Noise If any of the thresholds identified in item (5) (i) of this section are surpassed, state whether the proposed action will cause:

(i) an incremental increase in noise levels of three decibels Ldn or more; or

(ii) an increase to a noise level of 65 decibels Ldn or greater. If so, identify sensitive receptors (e.g. schools, libraries, hospitals, residences, retirement communities and nursing homes) in the project area and quantify the noise increase for these receptors if the thresholds are surpassed.

Not applicable

(7) Safety

(i) Describe any effects of the proposed action on public health and safety (including vehicle delay time at railroad crossings).

This abandonment should have no adverse effect on health or public safety

There are 11 public at-grade crossings and one public railroad over-crossing on the Line. No salvage is currently contemplated so all crossing signals and signs will remain in place

(ii) If hazardous materials are expected to be transported, identify: the materials and quantity; the frequency of service; whether chemicals are being transported that, if mixed, could react to form more hazardous compounds; safety practices (including any speed restrictions); the applicant's safety record (to the extent available) on derailments, accidents and hazardous spills; the contingency plans to deal with accidental spills, and the likelihood of and accidental release of hazardous materials.

The abandonment will not result in the transportation of hazardous materials

(iii) If there are any known hazardous waste sites or sites where there have been known hazardous material spills on the right-of-way, identify the location of those sites and the types of hazardous materials involved.

There are no known hazardous waste sites or sites where there have been known hazardous material spills on the right-of-way

(8) Biological Resources

(i) Based on consultation with the U.S. Fish and Wildlife Service, state whether the proposed action is likely to adversely affect endangered or threatened species or areas designated as a critical habitat, and if so, describe the effects.

Karen Myers, Fish and Wildlife Biologist at the U S Fish and Wildlife Service, recommended in a January 14, 2008 phone conversation with BNSF that BNSF download relevant lists from applicable web sites (including the web site for the State of Washington Department of Fish and Wildlife ("WDFW")) to determine what, if any, species are present in the proposed project impact area. In a June 10, 2008 letter from WDFW, Area Habitat Biologist Larry Fisher (copy attached hereto as Exhibit E) stated he "has reviewed the action and determined that effects on endangered or threatened species or areas designated as a critical habitat would not be expected as a result of this action "

(ii) State whether wildlife sanctuaries or refuges, National or State parks or forests will be affected, and describe any effects.

There are no known wildlife sanctuaries or refuges located within the proposed project impact area Gregory Gress, Chief, Pacific Land Resources Program Center, Pacific West Region of the National Park Service stated in his letter dated January 25, 2008 (copy attached hereto as Exhibit F). "there are no National Park Service Units within the proposed project impact area."

(9) Water

(i) Based on consultation with State water quality officials, state whether the proposed action is consistent with applicable Federal, State or local water quality standards. Describe any inconsistencies.

In an e-mail dated June 16, 2008, Gerald Shervey, PE, Washington Department of Ecology Northwest Regional Office (copy attached hereto as Exhibit G), stated: "The project description in your letter says no rail, ties, or other track structures will be removed. If no construction occurs, then no permit under Section 402 of the Clean Water Act is needed. No impacts on water quality is involved if no construction."

(ii) Based on consultation with the U.S. Army Corps of Engineers, state whether permits under Section 404 of the Clean Water Act (33 U.S.C. § 1344) are required for the proposed action and whether any designated wetlands or 100-year flood plains will be affected. Describe the effects.

James D. Green, Project Manager, Regulatory Branch Seattle District, U.S. Army Corps of Engineers, stated in an e-mail dated January 16, 2008 (copy attached hereto as Exhibit H) that a Corps permit is required for any work in a navigable water of the United States and for placement of fill materials into wetlands. Mr. Green also stated that, based on his personal knowledge of the project area, there are wetlands and floodplains along the entire project corridor.

Even though there may be wetlands and floodplains in the proposed project impact area, there will be no work in a navigable water of the United States and no placement of fill materials into wetlands because no salvage work will be performed as a part of the proposed abandonment.

(iii) State whether permits under Section 402 of the Clean Water Act (33 U.S.C. § 1342) are required for the proposed action. (Applicants should contact the U.S. Environmental Protection Agency or the state environmental


protection or equivalent agency if they are unsure whether such permits are required).

Clifford J. Villa, Assistant Regional Counsel, United States Environmental Protection Agency Region 10, stated in a letter dated June 6, 2008 (copy attached hereto as Exhibit I) "If the proposed actions merely entail the abandonment or railbanking and transfer of the railroad rights-of-way, and no discharge of pollutants will occur, EPA agrees that no permits under the Clean Water Act (CWA) should be required " As previously stated, the Line will not be salvaged. The Port intends to purchase the Line from BNSF with track and structures intact. The proposed action is, therefore, consistent with applicable Federal, State and local water quality standards

(10) Proposed Mitigation. Describe any actions that are proposed to mitigate adverse environmental impacts, indicating why the proposed mitigation is appropriate.

BNSF does not expect any adverse environmental impact from the proposed abandonment and, therefore, sees no need for any mitigating actions. BNSF will, of course, consult (as required) with any recipients of this Environmental Report regarding appropriate mitigation actions and will comply with those mitigation actions required by the Board.

EXHIBIT A



Redmond Spur
King County, Washington

BNSF Line Segment 404
Milepost 0.00 to Milepost 7.30

Rose map - United States Geological Survey
Redmond and Kirkland quadrangles
7.5-minute series

STB Docket No
AB-6 (Sub-No 463X)



Map source date 1978-07-9
DRG Creation Date 1997-04-09
DRG Coordinate System UTM
DRG Datum NAD83

EXHIBIT B



BNSF Network Development

Fort Worth, Texas 76131

tel 817-352-6432

fax 817-352-7154

email susan.odom@bnsf.com

February 22, 2008

Larry Gosset
Chair, Growth Management and Natural Resources Committee
Metropolitan King County Council
516 Third Avenue, Room 1200
Seattle, WA 98104

**Re: STB Docket No. AB-6 (Sub-No. 463X) – Abandonment Exemption
Milepost 0.00 to Milepost 7.30 on BNSF Railway Company's Isaaquah Spur
(a.k.a. Redmond Spur) in King County, WA**

Dear Mr Gosset

BNSF Railway Company ("BNSF") anticipates filing a Petition for Exemption seeking Surface Transportation Board ("STB") authority in the above-referenced docket to abandon 7.30 miles of railroad line between Milepost 0.00 and Milepost 7.30 on BNSF's Redmond Spur, in King County, Washington.

As part of the environmental report, BNSF is required to contact your committee to determine if the proposed abandonment is consistent with existing land use plans. If applicable, please describe any inconsistencies.

Please note that no rail, ties or other track structures will be removed or relocated in the course of this abandonment.

Your assessment and comments are respectfully requested. For your reference a map of the subject railroad line is attached. Please provide your response to me at the address above, if at all possible, by June 15, 2008. You may contact me by e-mail or phone with any questions or concerns. Thank you in advance for your time and contribution.

Sincerely,

Susan L. Odom
Manager Network Strategy

Enclosure as stated

cc Karl Morell – Ball Janik LLP – kmorell@bjllp.com
Kristy Clark – BNSF Law – kristy.clark@bnsf.com
Jerry Johnson – BNSF – jerome.johnson@bnsf.com



Natural Resources Conservation Service
1011 East Main, Suite 106
Puyallup, WA 98372
(253) 845-9272, Fax (253) 445-9934

January 30, 2008

Susan L. Odom
Manager Network Strategy
BNSF Railway Company
2500 Lou Menk Drive – AOB-3
Fort Worth, TX 76131

Re: STB Docket No. AB-6 (Sub-No. 463X) – Abandonment Exemption
Milepost 1.86 to Milepost 7.30 on BNSF Railway Company's
Issaquah Spur in King County, WA

Dear Ms Odom

I have reviewed the area of the proposed railroad line abandonment. Since the proposed abandonment will be limited to the railroad right of way and no lands outside of the right of way will be impacted, the proposed abandonment will have no effect on any prime agricultural, or other important farmlands.

Please contact me if you have any questions.

Respectfully,

A handwritten signature in black ink, appearing to read "Charles Natsuhara".

Charles Natsuhara
Area Resource Soil Scientist

EXHIBIT D

Odom, Susan

From: Randall, Loree' (ECY) [lora461@ECY.WA.GOV]
Sent: Thursday, June 19, 2008 10:45 AM
To: Odom, Susan
Cc: Sims, John A, Moore, Jessica (ECY)
Subject: RE: Washington State Railroad Abandonments (AB-6 Sub Nos. 463X, 464X and 465X)

I would agree that at this time CZM review is not required. However, if the Port of Seattle in future plan on conducting any improvements for a commuter rail, they will need to go through the CZM review process. Let me know if you have any more questions.

Loree' Randall
Department of Ecology
360/407-6068

From: Odom, Susan [mailto:Susan.Odom@BNSF.com]
Sent: Tuesday, June 17, 2008 1:49 PM
To: Randall, Loree' (ECY)
Cc: Sims, John A
Subject: FW: Washington State Railroad Abandonments (AB-6 Sub Nos. 463X, 464X and 465X)

Loree
BNSF will be filing with the Surface Transportation Board requests to abandon three sections of railroad lines in King County - Milepost 0.0 to 7.3 on BNSF's Redmond Spur, Milepost 5.00 to 10.60 in BNSF's Woodinville Subdivision, and Milepost 11.25 to 23.80 on BNSF's Woodinville Subdivision. In all three situations, there will be no salvage activity along any of the three lines. The track and track structures will be left intact. The land and track will be sold to the Port of Seattle for possible future commuter rail use. The purpose of the abandonment is to cancel our common carrier obligation to provide freight rail service.

Consequently, BNSF would like to verify that the projects as described are exempt from Washington CZMA's consistency requirements. Please concur by return e-mail for use in our filing with the STB.
Thank you for your help.

Susan Odom
Manager Network Strategy
BNSF Railway Company
817-352-6432 phone

This message may be confidential and should be read or retained only by the intended recipient. If you have received this transmission in error, please immediately notify the sender by replying to this message and then delete it from your system. Thank you.

From: Moore, Jessica (ECY) [mailto:jemo461@ECY.WA.GOV]
Sent: Friday, June 13, 2008 5:45 PM
To: Odom, Susan
Subject: Washington State Railroad Abandonments

Ms. Odom,

I have received your request for comments regarding the abandonment of three railroad lines.

6/25/2008

EXHIBIT E



State of Washington
DEPARTMENT OF FISH AND WILDLIFE
Mailing Address 16018 Mill Creek Boulevard \equiv Mill Creek, WA 98012
(425) 775-1311 \equiv Fax (425) 379-2323

June 10, 2008

BNSF Railway Company
ATTENTION: Susan L. Odom
Manager Network Strategy
2500 Lou Menk Drive - AOB-300th, Suite 101
Fort Worth, Texas 76131

Dear Ms. Odom:

**SUBJECT: STB Docket No. AB-6 (Sub-Nos. 463X, 464X, and 465X),
Proposed Abandonment Exemptions in King County, Washington**

The Washington Department of Fish and Wildlife (WDFW) has reviewed the above-referenced action and determined that effects on endangered or threatened species or areas designated as a critical habitat would not be expected as a result of this action.

Thank you for the opportunity to provide this information. If there are any questions regarding this letter, I may be contacted at 425-313-5683 or fisheldf@dfw.wa.gov

WDFW appreciates your collaboration in our efforts to preserve, perpetuate, and manage the fish and wildlife resources of the state of Washington.

Sincerely,

A handwritten signature in cursive script, reading "Larry Fisher".

Larry Fisher
Area Habitat Biologist

LF If BNSFR doc



EXHIBIT F

United States Department of the Interior

NATIONAL PARK SERVICE
Pacific West Region
1111 Jackson Street, Suite 700
Oakland, California 94607-4807



IN REPLY RELY TO
L1425 (PWR-LP)
General

January 25, 2008

Susan Odom
Manager Network Strategy
BNSF Network Development
BNSF Railway Company
2500 Lou Menk Drive - AOB-3
Forth Worth, Texas 76131

Re: STB Docket No. AB-6 (Sub. No. 463X) Abandonment Exemption
Milepost 1.86 to Milepost 7.30 on BNSF Railway Company's Issaquah Spur in King
County, WA

Dear Ms. Odom

Based on the map that your office sent to us on January 8, 2008, depicting the two mileposts in the area of Issaquah Spur located in King County, State of Washington, there are no National Park Service Units within the proposed project impact area. If you have any further questions regarding this matter, please contact me at (510) 817-1414.

Sincerely,

Gregory F. Gress
Chief, Pacific Land Resources Program Center
Pacific West Region

TAKE PRIDE
IN AMERICA

EXHIBIT G

Odom, Susan

From: Sims, John A
Sent: Tuesday, June 17, 2008 7:52 AM
To: Odom, Susan
Subject: FW: STB Docket No. AB-6 (Sub-No. 463X) - Abandonment Exemption in King County, WA

-----Original Message-----

From: Shervey, Jerry (ECY) [mailto:GSHE461@ECY.WA.GOV]
Sent: Monday, June 16, 2008 7:32 PM
To: Sims, John A
Subject: RE: STB Docket No. AB-6 (Sub-No. 463X) - Abandonment Exemption in King County, WA

The project description in your letter says no rail, ties, or other track structures will be removed. If no construction occurs, then no permit under Section 402 of the Clean Water Act is needed. No impacts on water quality is involved if no construction

Please call or write if you need additional information. Thank you.

Gerald Shervey, PE
Washington Department of Ecology
NW Regional Office
3190 160th Ave SE
Bellevue, WA 98008-5452
gshe461@ecy.wa.gov
voice (425) 649-7293 Cel 206 799 2329 fax (425) 649-7098
work hours: 8:00 am to 5:30 pm Monday-Thursday, alternate Fridays off

-----Original Message-----

From: Sims, John A [mailto:John.Sims@bnsf.com]
Sent: Thursday, June 12, 2008 12:38 PM
To: Shervey, Jerry (ECY)
Cc: Odom, Susan; Sims, John A
Subject: STB Docket No. AB-6 (Sub-No. 463X) - Abandonment Exemption in King County, WA

Mr. Shervey,
See attached letter regarding the above-referenced matter. I am assisting Susar Odom. I just wanted to know when we could expect your reply so that we could include it as an exhibit to the environmental report that is being prepared at this time.
Thank you for your attention in this matter.

Sincerely,
John Sims, Paralegal
BNSF - Law Department
2500 Lou Menk Dr, 3rd Fl
Fort Worth, TX 76131-2828
(817) 352-2376

-----Original Message-----

From: Sims, John A
Sent: Thursday, June 12, 2008 2:25 PM
To: Sims, John A
Subject:

GlobalScan document sent from b802894.

EXHIBIT H

Odom, Susan

From: Green, James D NWS [James D Green@usace.army.mil]
Sent: Wednesday, January 16, 2008 1:04 PM
To: Odom, Susan
Subject: FW: STB Docket No. AB-6

Susan: The below message is applicable from Milepost 1.86 to Milepost 7.3 of the Issaquah Spur. However, the same applies for work from Milepost 5.00 to 10.60 and Milepost 11.25 to Milepost 23.90. Jim Green

From: Green, James D NWS
Sent: Wednesday, January 16, 2008 10:57 AM
To: 'susan.odom@bnr.com'
Subject: STB Docket No. AB-6

Susan: Thank you for your letter dated 8 January 2008. A Corps permit is required for any work in a navigable water of the U.S. I note the rail line crosses the Sammamish River which is a navigable water so if any work will affect this river, a Department of the Army permit will be required under Section 10 of the River and Harbors Act and possibly Section 404 of the Clean Water Act. Also, the placement of fill materials into wetlands would require a Section 404 permit.

Based on my knowledge of the project area, there are wetlands and floodplains along the entire project corridor. However, the Corps does not provide the kind of services you requested. It is incumbent upon you to hire a consultant to determine the extent of wetlands and floodplains in the project corridor and whether or not these resources will be impacted by your proposed work. If so, you must submit a permit application for processing.

Jim Green, Project Manager
Regulatory Branch, Seattle District
(206) 764-6906

5/29/2008

EXHIBIT I



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 Sixth Avenue
Seattle, WA 98101

June 6, 2008

Reply To
Attn Of ORC-158

Susan Odom
BNSF Railway Company
2500 Lou Menk Drive, AOB-3
Fort Worth, TX 76131

Dear Ms Odom:

Re: STB Docket No. AB-6 (Sub No 463X) Issaquah Spur, King County, WA
STB Docket No. AB-6 (Sub. No. 464X) Woodinville Subdivision, King County, WA
STB Docket No AB-6 (Sub. No 465X) Woodinville Subdivision, King County, WA

Dear Ms. Odom:

The U.S. Environmental Protection Agency (EPA) has reviewed your letters to me dated January 8, and May 30, 2008, concerning the three abandonment proceedings referenced above. These proposed abandonments concern three segments of Burlington-Northern Santa Fe (BNSF) Railway lines within King County, WA, east of Seattle. In your letters, you requested information on whether or not the proposed abandonment of these BNSF lines would be consistent with applicable water quality standards and whether or not any permits would be required under Section 402 of the Clean Water Act.

If the proposed actions merely entail the abandonment or railbanking and transfer of the railroad rights-of-way, and no discharge of pollutants will occur, EPA agrees that no permits under the Clean Water Act (CWA) should be required. If, however, any proposed action also entails railroad salvage activities, such as the removal of ties and tracks for any purpose, then CWA requirements may be implicated for that action. In particular, if salvage activities involve construction activity (meaning clearing, grading or excavation) that will disturb more than one acre of land, such activity must comply with requirements for obtaining a permit under the CWA National Pollutant Discharge Elimination System (NPDES) to prevent or minimize the discharge of pollutants in storm water runoff from the disturbed areas to waters of the United States. Please note that areas used for support activities related to the project (e.g., equipment staging yards and material storage areas) must be considered as part of the construction activity, and included in the calculation of total disturbed area.

EPA acknowledges BNSF's estimate that none of the three proposed abandonments are expected to disturb more than one acre of land. Confirmation of these estimates will likely fall to the Washington State Department of Ecology (Ecology), to which the NPDES program has been

delegated in this state. Ecology issues NPDES permits for stormwater discharges from construction activities in the State of Washington through its Construction Stormwater General Permit. Information about this NPDES permit is available through the Ecology website at <http://www.ecy.wa.gov/programs/wq/stormwater/construction/>. For activities occurring within King County, WA, you may also contact Elaine Worthen of Ecology directly at (360) 407-7229 or ewor461@ecy.wa.gov.

If you or your staff have any general questions for EPA about storm water permitting requirements, please contact Dick Hetherington, Construction Storm Water Program Coordinator, at (206) 553-1941 or hetherington.dick@epa.gov. Legal questions may be directed to me at (206) 553-1185.

Sincerely,



Clifford J. Villa
Assistant Regional Counsel



EXHIBIT J

BNSF Network Development

Fort Worth Texas 76131

tel 817-352-8432

fax 817-352-7154

email susan.odom@bnsf.com

May 30, 2008

Charles Natsuhara
Area Soil Scientist
Natural Resource Conservation Service
1011 East Main, Suite 106
Puyallup, WA 98372

**Re: STB Docket No. AB-6 (Sub-No. 463X) – Abandonment Exemption
Milepost 0.00 to Milepost 7.30 on BNSF Railway Company's Issaquah Spur (a.k.a.
Redmond Spur) in King County, WA**

Dear Mr. Natsuhara

BNSF Railway Company ("BNSF") notified Natural Resource Conservation Service by letter dated January 8, 2008 of its intent to file a Notice of Exemption seeking Surface Transportation Board ("STB") authority in the above-referenced docket to abandon a portion of its Issaquah (Redmond) Spur, in King County, Washington. We thank you for your reply dated January 30, 2008 (copy attached).

This letter is written to inform you of two significant changes regarding the abandonment filing as stated in the January 8 letter:

- 1 The limits of the abandonment have been extended to MP 0.00 to MP 7.30, inclusive.
- 2 As originally planned the proposed abandonment was to include the removal of rails and ties. The future buyer's plans have changed and there will be no rail, ties or other track structures removed or relocated in the course of this abandonment.

A map of the new subject area is attached for your reference to determine if the proposed abandonment will have any effect on prime agricultural lands.

Please provide to me, at your earliest convenience, any revisions to your former assessment at the address above. Thank you again for your time and contribution.

Respectfully,

Susan L. Odom
Manager Network Strategy

Attachments as stated

CC Karl Morell – Ball Janik LLP – kmorell@bjllp.com
Kirsty Clark – BNSF – kirsty.clark@bnsf.com
Jerry Johnson – BNSF – jerome.johnson@bnsf.com



BNSF Network Development

Fort Worth, Texas 76131

tel 817-352-8432

fax 817-352-7154

email susan.odom@bnsf.com

May 30, 2008

Jim Green
Seattle District Corps of Engineers
P O Box 3755
Seattle, Washington 98124-3755

**Re: STB Docket No. AB-6 (Sub-No. 463X) – Abandonment Exemption
Milepost 0.00 to Milepost 7.30 on BNSF Railway Company's Issaquah Spur (a.k.a.
Redmond Spur) in King County, WA**

Dear Mr Green

BNSF Railway Company ("BNSF") notified Seattle District Corps of Engineers by letter dated January 8, 2008 of its intent to file a Notice of Exemption seeking Surface Transportation Board ("STB") authority in the above-referenced docket to abandon a portion of its Issaquah (Redmond) Spur, in King County, Washington. We thank you for your reply dated January 16, 2008 (copy attached).

This letter is written for informational purposes only to notify you of two significant changes regarding the abandonment filing as stated in the January 8 letter:

- 1 The limits of the abandonment have been extended to MP 0.00 to MP 7.30, inclusive
- 2 As originally planned the proposed abandonment was to include the removal of rails and ties. The future buyer's plans have changed and there will be no rail, ties or other track structures removed or relocated in the course of this abandonment.

A map of the new subject area is attached for your reference.

Respectfully,

Susan L Odom
Manager Network Strategy

Attachments as stated

CC Karl Morell – Bail Janik LLP – kmorell@bjllp.com
Kristy Clark – BNSF – kristy.clark@bnsf.com
Jerry Johnson – BNSF – jerome.johnson@bnsf.com



BNSF Network Development

Fort Worth, Texas 76131

tel 817-352-6432

fax 817-352-7154

email susan.odom@bnsf.com

May 30, 2008

Gregory F. Gress
Chief, Pacific Land Resources Program Center
U S National Park Service,
Pacific West Region
One Jackson Center
1111 Jackson Street, Suite 700
Oakland, CA 94607

**Re: STB Docket No. AB-6 (Sub-No. 463X) – Abandonment Exemption
Milepost 0.00 to Milepost 7.30 on BNSF Railway Company's Issaquah Spur (a.k.a
Redmond Spur) in King County, WA**

Dear Mr. Gress

BNSF Railway Company ("BNSF") notified U S National Park Service by letter dated January 8, 2008 of its intent to file a Notice of Exemption seeking Surface Transportation Board ("STB") authority in the above-referenced docket to abandon a portion of its Issaquah (Redmond) Spur, in King County, Washington. We thank you for your reply dated January 25, 2008 (copy attached).

This letter is written to inform you of two significant changes regarding the abandonment filing as stated in the January 8 letter:

- 1 The limits of the abandonment have been extended to **MP 0.00 to MP 7.30, inclusive**
- 2 As originally planned the proposed abandonment was to include the removal of rails and ties. The future buyer's plans have changed and **there will be no rail, ties or other track structures removed or relocated in the course of this abandonment**

A map of the new subject area is attached for your reference to determine if there are any wildlife sanctuaries or National or State parks or forests adjacent to or near the line. If so, please state what effects the proposed action may have on same.

Please provide to me, at your earliest convenience, any revisions to your former assessment at the address above. Thank you again for your time and contribution.

Respectfully,

Susan L. Odom
Manager Network Strategy

Attachments as stated

CC Karl Morell – Bail Janik LLP – kmorell@bjllp.com
Kristy Clark – BNSF – kristy.clark@bnsf.com
Jerry Johnson – BNSF – jerome.johnson@bnsf.com



BNSF Network Development

Fort Worth, Texas 76131

tel 817-352-6432

fax 817-352-7154

email susan.odom@bnsf.com

May 30, 2008

Clifford J Villa
Assistant Regional Counsel
U S EPA, Region 10
1200 Sixth Avenue
Seattle, WA 98101

**Re: STB Docket No. AB-6 (Sub-No. 463X) – Abandonment Exemption
Milepost 0.00 to Milepost 7.30 on BNSF Railway Company's Issaquah Spur (a.k.a.
Redmond Spur) in King County, WA**

Dear Mr Villa

BNSF Railway Company ("BNSF") notified U S EPA, Region 10 by letter dated January 8, 2008 of its intent to file a Notice of Exemption seeking Surface Transportation Board ("STB") authority in the above-referenced docket to abandon a portion of its Issaquah (Redmond) Spur, in King County, Washington. To date, we have not received a reply.

This letter is written to inform you of two significant changes regarding the abandonment filing as stated in the January 8 letter and, once again, request your input:

- 1 The limits of the abandonment have been extended to **MP 0.00 to MP 7.30, inclusive**
- 2 As originally planned the proposed abandonment was to include the removal of rails and ties. The future buyer's plans have changed and **there will be no rail, ties or other track structures removed or relocated in the course of this abandonment. Consequently, BNSF anticipates the proposed abandonment should not disturb more than one (1) acre of land.**

As part of the requisite environmental report, BNSF must provide a response from your agency stating whether or not this abandonment will be consistent with Federal, State or local water quality standards and whether or not Section 402 and/or National Pollutant Discharge Elimination System ("NPDES") permits will be required. A map of the new subject area is attached for your reference.

Please provide to me, at your earliest convenience, your assessment or comments at the address above. Thank you again for your time and contribution.

Respectfully,

Susan L. Odom
Manager Network Strategy

Attachments as stated

CC Karl Morell – Ball Janik LLP – kmorell@bjllp.com
Kristy Clark – BNSF – kristy.clark@bnsf.com
Jerry Johnson – BNSF – jerome.johnson@bnsf.com

EXHIBIT E

[Historic Report follows]

**BEFORE THE
SURFACE TRANSPORTATION BOARD**

BNSF RAILWAY COMPANY)	
ABANDONMENT EXEMPTION)	DOCKET NO. AB-6
IN KING COUNTY, WASHINGTON)	(SUB-NO. 463X)

HISTORIC REPORT

BNSF RAILWAY COMPANY
2650 Lou Menk Drive
P O. Box 96157
Fort Worth, TX 76161-0057

Kristy D. Clark
General Attorney
BNSF Railway Company
2500 Lou Menk Drive, AOB-3
Fort Worth, Texas 76131

Service Date August 11, 2008

HISTORIC REPORT

(49 C.F.R. § 1105.8)

The Historic Report should contain the information required by 1105.7(e)(1) of the Environmental Report. The following is excerpted from the Environmental Report prepared for the proposed abandonment:

(1) Proposed Action and Alternatives. Describe the proposed action, including commodities transported, the planned disposition (if any) of any rail line and other structures that may be involved, and any possible changes in current operations or maintenance practices. Also describe any reasonable alternatives to the proposed action. Include a readable, detailed map and drawings clearly delineating the project.

BNSF Railway Company ("**BNSF**") proposes to abandon the 7.30-mile rail line located between Milepost 0.00, at Woodinville, and Milepost 7.30, at Redmond, in King County, Washington (the "**Line**") A map of the project area is attached as Exhibit A.

There has been no local freight traffic on the Line for more than two years The Spirit of Washington dinner train, however, has operated over a portion of the Line between Milepost 0.00 and Milepost 1.86 at the Columbia Winery until discontinuing service in early 2008

The Line will not be salvaged The Port of Seattle ("**Port**") intends to purchase the Line from BNSF with track and structures intact Possible future uses include trail use and commuter rail service. To the best of BNSF's knowledge, the Port intends to allow King County, Washington to railbank the Line and the Port will determine the remainder of Line's ultimate use after seeking input from the public In addition the city of Redmond, Washington has an interest in acquiring a portion of the Line to tie into their existing trail system

HISTORIC REPORT

BNSF hired Archaeological Investigations Northwest, Inc. ("AINW") to conduct pedestrian surveys of the Line proposed for abandonment. The first survey between milepost 1.86 and milepost 7.30 was completed in August 2007. The second survey between milepost 0.00 and milepost 1.86 was completed in July 2008. Attached to this Historic Report as Exhibit B-1 and B-2 are the Historic Resource Inventory reports prepared as a result of the pedestrian surveys performed in August 2007 and July 2008 (collectively, "Inventories"). Original copies of the Inventories with original photographs were forwarded to Washington's Department of History and Archaeology upon completion.

1. *A U.S.G.S. topographic map (or an alternate map drawn to scale and sufficiently detailed to show buildings and other structures in the vicinity of the proposed action) showing the location of the proposed action, and the locations and approximate dimensions of railroad structures that are 50 years old or older and are part of the proposed action.*

The required topographic maps included in the Inventories are attached to this Report as Exhibits C-1 and C-2. (Sources: Historic Resource Inventory of the BNSF King County Abandonment Project, Washington, Figure 1, Sheet A, Historic Resource Inventory of Railway MP 0.00 to 1.86 for the BNSF King County Abandonment Project, Washington, Figure 1).

2. *A written description of the right-of-way (including approximate widths, to the extent known), and the topography and urban and/or rural characteristics of the surrounding area*

The subject Line extends approximately 7.30 miles between Milepost 0.00 at Woodinville and Milepost 7.30 at Redmond in King County, Washington. The right-of-way is generally 100 feet in width. The Line begins in a busy commercial area in Woodinville, traveling generally in a southeasterly direction, crossing the BNSF Woodinville Subdivision main line. It continues through commercial and light industrial zones until it transects open

fields, trees and agricultural land between approximately milepost 1.80 and milepost 5. The remainder of the Line is bordered by light industrial and commercial businesses until it terminates at the start of Redmond's State Route 520 Bikepath.

There are no federally granted rights of way involved.

3. ***Good quality photographs (actual photographic prints, not photocopies) of railroad structures on the property that are 50 years old or older and of the immediately surrounding area.***

Please see the Historic Property Inventory Reports section of the Inventories. Qualifying structures include.

- Bridge over Sammamish River at milepost 6.2
- Screw converger located west of Woodinville wye

4. ***The date(s) of construction of the structure(s), and the date(s) and extent of any major alterations, to the extent such information is known.***

- Bridge over Sammamish River – originally constructed in 1922 with no known dates of major alterations
- Screw converger – construction date unknown

5. ***A brief narrative history of carrier operations in the area, and an explanation of what, if any, changes are contemplated as a result of the proposed action.***

The Line is part of the 63.3-mile long rail line constructed in 1887-1888 by the Seattle, Lake Shore & Eastern Railway Company ("SLSE") The line extended from Seattle, north of Lake Washington to Woodinville, then southeast through Redmond and Fall City. SLSE was incorporated in April 1885. The line went into service in May 1888, and by December 1889, was extended from Fall City to Sallal Prairie, despite the fact that SLSE was operating at a loss due to

high maintenance costs. By 1890, SLSE operated 156 miles of track, extending to the Canadian border at Sumas.

In July 1891, SLSE became an operating subsidiary of the Northern Pacific Railroad Company ("**NP**") and after falling victim to receivership SLSE was sold in 1896 to Seattle & International Railway Company which was in turn purchased by NP in 1901. In 1970, NP merged with Great Northern Railway Company, Pacific Coast Railroad Company and Chicago, Burlington & Quincy Railroad Company to become Burlington Northern Inc. Burlington Northern Inc. changed its name to Burlington Northern Railroad Company ("**BNRR**") in 1981. BNRR merged with The Atchison, Topeka and Santa Fe Railway Company in 1996 to become The Burlington Northern and Santa Fe Railway Company, whose name changed to BNSF Railway Company in January 2005.

6. *A brief summary of documents in the carrier's possession, such as engineering drawings, that might be useful in documenting a structure that is found to be historic.*

Documents in BNSF's possession concerning this abandonment may include alignment maps showing the right-of-way and/or station maps. These documents are too large for practical reproduction in this report, but can be furnished upon request, if they are available.

7. *An opinion (based on readily available information in the railroad's possession) as to whether the site and/or structures meet the criteria for listing on the National Register of Historic Places (36 CFR 60.4), and whether there is a likelihood of archeological resources or any other previously unknown historic properties in the project area, and the basis for these opinions (including any consultations with the State Historic Preservation Office, local historical societies or universities).*

AINW recommends that the Line be eligible for listing on the National Register of Historic Places with the historic bridges, rails, ties, switches, metal screw conveying system, berms and alignments as contributing elements.

8. ***A description (based on readily available information in the railroad's possession) of any known prior subsurface ground disturbance or fill, environmental conditions (naturally occurring or manmade) that might affect the archeological recovery of resources (such as swampy conditions or the presence of toxic wastes), and the surrounding terrain.***

The Line was disturbed during original construction by cuts and fill and any archaeological resources that may have been located in the proposed project area would have been affected at that time. Our records do not indicate any environmental conditions that might affect the archaeological recovery of resources.

9. ***Within 30 days of receipt of the historic report, the State Historic Preservation Officer may request the following additional information regarding specific non railroad owned properties or groups of properties immediately adjacent to the railroad right-of-way: photographs of specified properties that can be readily seen from the railroad right-of-way (or other public rights-of-way adjacent to the property) and a written description of any previously discovered archeological sites, identifying the location and type of the site (i.e. prehistoric or native American).***

BNSF does not foresee the likelihood that any additional information will need to be supplied in association with the proposed line abandonment other than the information previously submitted. But, if any additional information is requested, BNSF will promptly supply the necessary information.

EXHIBIT A




EXHIBIT B-1

**HISTORIC RESOURCE INVENTORY OF THE
BNSF KING COUNTY ABANDONMENT PROJECT,
WASHINGTON**

Prepared for
BNSF Railway Company,
Fort Worth, Texas

August 8, 2007

REPORT NO. 1965

Archaeological Investigations Northwest, Inc.

2632 SE 162nd Ave • Portland, OR, • 97236

Phone 503 761-6605 • Fax 503 761-6620

**HISTORIC RESOURCE INVENTORY OF THE
BNSF KING COUNTY ABANDONMENT PROJECT,
WASHINGTON**

PROJECT: BNSF King County Abandonment Project

TYPE: Pedestrian Survey

LOCATION: Township 24 North, Range 5 East, Sections 4, 9, 16, 17, 20, 29, 31, and 32
Township 25 North, Range 5 East, Sections 2, 3, 5, 8, 11, 12, 17, 20, 21, 28,
and 33
Township 26 North, Range 5 East, Sections 9, 15, 16, 22, 27, 28, 32, 33, and 34
Willamette Meridian

USGS QUAD: *Mercer Island, WA , 7.5'; Kirkland, WA , 7.5'; Redmond, WA , 7.5'*

CITIES: vicinities of Bellevue, Kirkland, and Redmond

COUNTY: King

**AREA
SURVEYED:** 38 kilometers (23.74 miles) along BNSF right-of-way in King County

FINDINGS: Northern Pacific Railway, Lake Washington Beltline - NRHP-eligible
6 contributing bridges
Seattle, Lake Shore & Eastern Railway - NRHP-eligible
1 contributing bridge

PREPARERS: Jason M. Allen, M.A.

INTRODUCTION

Archaeological Investigations Northwest, Inc. (AINW), has completed a historic resources survey along three segments of Burlington Northern Santa Fe (BNSF) railroads in King County, Washington. BNSF proposes to abandon these railroads, and remove the tracks and ties. BNSF proposes to leave the existing bridges in place, and relinquish ownership of these alignments and bridges to King County for use as a bicycle/pedestrian trail. The Area of Potential Effect (APE) for the present project includes all the area within the BNSF right-of-way between mileposts 5.00 and 10.60 and between mileposts 11.25 and 23.9 on the former Northern Pacific Lake Washington Beltline route and between mileposts 1.86 and 7.30 on the former Seattle, Lake Shore and Eastern rail line between Woodinville and Redmond.

On July 9-11, 2007, AINW Architectural Historians Jason M. Allen and Elizabeth J. O'Brien conducted a field survey of the project APE, giving special attention to the seven bridges included within the project areas. When observed, other features dating to the historic period were noted and photographed. On July 9, 2007, Mr. Allen and Ms. O'Brien conducted documentary research at the State Historic Preservation Office (SHPO) in Olympia, Washington, to determine if either of the railroads, or any railroad-related features within the APE had been previously documented. Only one feature, the Wilburton Trestle, located at MP

11 5, has been previously documented. The Wilburton Trestle is listed in the National Register of Historic Places (NRHP)

The three segments represent portions of two historic railroads. AINW recommends both railroads to be eligible for listing in the NRHP. The three segments include a total of seven railroad bridges, ranging in construction date from 1904 to 1960. All six bridges are recommended to be contributing elements to the eligibility of the two railroads for listing in the NRHP. Although one of the bridges does not yet meet the 50-year age criterion for listing in the NRHP, it will satisfy that criterion in three years, and is recommended for inclusion as a contributing resource. Specific findings are below, followed by conclusions and recommendations.

Northern Pacific Railway Company Lake Washington Beltline (MP 5.00 to MP 10.60 and MP 11.25 to MP 23.9)

The subject railroad consists of two segments, both of which are parts of Northern Pacific Railroad Company's Lake Washington Beltline that extends from a junction near Renton, Washington northward to a junction at Woodinville, Washington. Within that alignment there are two segments proposed for abandonment by the current owner, BNSF. The railroad is a single-track railroad on a built-up rock berm that extends north along the approximate route of I-405, generally staying within approximately 0.75 miles of that highway, until it reaches the I-405/NE 124th Street interchange, at which point it turns to the east and proceeds to the west side of Sammamish Valley, at which point it turns north, following the west side of Sammamish Valley until it reaches the junction at Woodinville. The southern of the two segments extends from milepost 5.00, in the community of Kenndale, to milepost 10.60, just north of the I-405/I-90 interchange. The northern of the two segments begins at milepost 11.25, near the community of Wilburton, and extends to milepost 23.9 at Woodinville. The segments include six historic period bridges/and or trestles, ranging in date of construction from 1904 to 1960.

MP 6.1 Bridge over May Creek

The bridge over May Creek at Scopa was constructed in 1960 to replace the previous bridge, also a 4-span pile structure. The present bridge is a 15-foot-high, 4-span, open pile trestle structure with an overall length of 60 feet, carrying a single track. There are three structural bent supports, each consisting of five creosoted timber post piles. Two groupings of three timber girders extend across trestle bents. Metal flashing is used beneath the rail ties. Broken-off timber posts of the previous bridge are present beneath the current structure. The bridge has a planked pedestrian crossing with a steel cable railing supported by steel flange posts along its east side.

MP 9.1 Bridge over Coal Creek

The bridge over Coal Creek at Mile Post 9.1 is located east of the Newport Shores residential community. The structure was constructed in 1950, replacing a previous bridge at that location. It is a 38-foot-high, 9-span, open deck pile trestle structure with an overall length of 133 feet, carrying a single track. The structural bents are composed of four rounded timber posts and timber bracing members. A planked pedestrian crossing with a steel cable guard rail is located along the east side of the bridge. The area is heavily treed and next to a residential area developed in the late 1950s and 1960s.

MP 9.2 Bridge over Lake Washington Boulevard

The bridge over Lake Washington Boulevard is located east of the Newport Shores residential community. It was constructed in 1916 and consists of a single-span, 43-foot-long steel deck plate girder structure supported by two poured-concrete skewed abutments with adjacent basalt rock retaining walls. The deck is open with a single track. A metal label on the bridge's west elevation was unreadable. On the west elevation of the bridge, "Northern Pacific" is still visible, painted in large block lettering, although it is very worn, and only barely readable. The bridge is located immediately to the east of Newport Shores, a residential development established in the late 1950s on the site of a former air landing strip.

MP 11.5 Wilburton Crossing over Mercer Slough (Listed in NRHP)

The bridge over Mercer Slough, also known as the Wilburton Trestle, is a wood pile trestle bridge measuring 977 feet long with 32 spans, 34 bents, and a maximum height of 102 feet. The bridge was originally constructed in 1904, and its framing has been replaced four times over its lifespan (1913, 1924, 1933, and 1944). In 1972, when SE 8th Street (which passes beneath the trestle) was widened, a steel plate girder span was installed, supported by full-height concrete buttresses.

MP 17.1 Bridge over Kirkland Way

The bridge over Kirkland Way is located in eastern Kirkland, southwest of the I-405/Central Way interchange. Constructed in 1927, the structure measures 43 feet in overall length and 17 feet in height with a 39-foot-long single deck, plate girder span. The girders appear to have been covered in a concrete spray. The plate girder span rests on concrete abutments, the southern of which carries the Northern Pacific logo painted on the west elevation. The bridge carries a single track on a graveled bed, and railings composed of metal flange posts and pipe rails line both sides. The surrounding area is primarily residential with some industrial buildings along the railroad including a warehouse and former canning factory to the south.

MR 23.9 Bridge over Sammamish River

The bridge over the Sammamish River is located in Woodinville, to the south of NE 175th Street. Constructed in 1914, the structure is 159 feet in overall length with a central 70-foot-long through plate girder span with ballast covered pile trestles at each end. The bridge has four open pile trestle spans at the east end and three open pile trestle spans at the west end. Modifications to the bridge include opening the east end for a pedestrian trail, and reinforcement of the central piles with steel framing members to bear the load of the through plate girder span.

The subject segments of the Northern Pacific line from Renton to Woodinville Junction are recommended to be eligible for listing in the NRHP under Criterion A through their association with the development of railroads in the State of Washington and in the Puget Sound region. Additionally, this line is associated with the development of heavy industry in the eastern Puget Sound region, as it was primarily constructed to deliver coal to the developing steel plants in the area. The two segments include six bridges, one of which is already listed in the NRHP. The remaining five bridges are recommended as contributing elements to the overall NRHP-eligibility of the railroad.

The railroad bridges and trestles are the most sustaining and substantial structures besides the alignments, grades and tracks. The structures are obvious expressions of the

engineering challenges faced by the pioneering construction engineers and workers. As such, they are important contributing features to the significance of the railroad.

The type of bridge employed at a given location depended on the lay of the land, soil composition, climate, load capacities, material availability and time constraints. Many of the railroad bridges in the Pacific Northwest, because of the ready availability of timber, were constructed of wood, most commonly timber trestles in the late nineteenth and twentieth centuries and as late as the 1930s (Soderberg 1980 12). The Wilburton Trestle, located at milepost 11.5 spanning Mercer Slough, has been singled out as one of the most outstanding examples of a timber trestle in the state of Washington due in part to its rarity because of the declining numbers (Soderberg 1980 10). Other timber trestles on this railroad line are diminutive in comparison to the Wilburton Trestle. The timber trestle bridges are typically of more recent construction due to the relatively short lifespan of wooden framing members. Bridges composed of timbers were regularly rebuilt and decaying timbers replaced. This occurred more frequently in the earliest years, when untreated timbers with a life expectancy of 10 to 15 years were used (Soderberg 1980 11).

The bridges not constructed of timber, were commonly constructed of steel. Common types of steel structures included steel trusses and riveted steel plate types. The riveted steel plate girder type bridges were found at several locations within the subject railroad segments. The steel plate members and other components were typically prefabricated and transported by railcar, but by this time could also be constructed onsite due to the advances in riveting technology which allowed for onsite fabrication.

The two subject segments of the Northern Pacific (now BNSF) railroad were built in 1891 as a spur line connecting the Kirkland and Bellevue areas with a major Northern Pacific line at Renton. During the early years of operation, this line was primarily used to transport coal and iron from mines located in the hills to the east of the Puget Sound to developing industrial plants, especially the steel mill at Kirkland, established by Peter Kirk (Stewart 1978).

As the Puget Sound economy expanded branches of the railroad webbed out from the commercial centers of Puget Sound extending to developing markets and emerging areas of natural resources. The eastern shore of Lake Washington was home to milling operations of lumber, and coal tar products. Industrialists such as William Renton and Peter Kirk platted cities along Lake Washington's shoreline and engaged with railroad companies to bring spur lines to the plants they built. Northern Pacific's Lake Washington Beltline railroad was graded by 1891 from Kirkland to Renton (Grant 1891:314-315).

Seattle, Lake Shore & Eastern Railway (MP 1.86 to MP 7.30)

This segment of the BNSF railroad extends from a previously abandoned segment at milepost 7.30 (southeast of Redmond, Washington), across the Sammamish River, and along the western side of the Sammamish Valley, north to where the railroad crosses Washington State Highway 202 (milepost 1.86). The railroad remains intact north of milepost 1.86, at least as far as Woodinville Junction, but BNSF has limited the current abandonment work to the above-defined segment (MP 1.86 to MP 7.30). The railroad is carried over the Sammamish River on an open pile trestle bridge at milepost 6.2, considered to be a contributing feature to this NRHP-eligible railroad segment. This segment is a single-track railroad on a raised gravel berm.

MP 6.2 Bridge over Sammamish River

At the crossing of the Sammamish River (MP 6.2), the railroad is carried on a 220-foot-long, 5-span, open pile trestle bridge with a central 70-foot-long steel deck plate girder span. This bridge, built in 1922, crosses the river at an overall height of 32 feet above the surface of the Sammamish River. The trestle bridge is supported at both ends by wooden embankments set into the built-up berm. The bridge has a planked pedestrian walkway on the south side, extending alongside the tracks, with flange metal posts strung with steel cable. The bridge appears to have been burned, and has some superficial burn damage on the east side of the river. This railroad segment has not carried rail traffic for some time, though the rails and ties remain in place.

The railroad segment is a part of the 63.3-mile long rail line constructed in 1887-1888 by the Seattle, Lake Shore & Eastern Railway Company. The line extended from Seattle, north of Lake Washington to Woodinville, then southeast through Redmond and Fall City. This railroad segment is recommended to be eligible for listing in the NRHP under Criterion A for its role in the development of railroads in the Pacific Northwest, the State of Washington, and the Puget Sound area. The Seattle, Lake Shore & Eastern Railway also played a significant part in the development of Seattle as a major Pacific Northwest railroad hub, in competition with the Tacoma terminus of the Northern Pacific Railroad Company. Although the railroad was eventually purchased by the Northern Pacific, the Seattle, Lake Shore & Eastern Railway was organized and created by local Seattle interests, and played a major part in the development of Seattle as a rival to, and eventually dominant neighbor of Tacoma.

The Seattle, Lake Shore & Eastern Railway Company was incorporated in April 1885. Organized by Seattle businessmen Thomas Burke and Daniel Gilman, and supported by other local Seattle businessmen and citizens, the formation of the railroad was driven by an effort to create a direct rail link with eastern Washington and beyond (Armbruster 1999:122). Originally intended to extend east from Seattle, through Snoqualmie Pass, to Spokane, the company filed supplementary articles of incorporation in 1886, declaring its intention to extend its route to Deadwood, Dakota Territory (now in South Dakota) (Cheever 1948:169-170). Although these plans would never be fully implemented, the company began construction of its line between Seattle and Sallal Prairie in 1887.

The line went into service between Seattle and Fall City in May 1888, and by December 1889, the line was extended from Fall City to Sallal Prairie. Already, however, the Seattle, Lake Shore & Eastern was operating at a loss due to high maintenance costs. In addition, difficulties with the associated construction branch of the corporation led to the filing of a motion to place the line into receivership after the construction company was found to be in default of bonds it had issued to cover the expenses of construction in the Spokane area. Although the suit was eventually thrown out, the power behind the motion, the Northern Pacific Railroad Company (which had since the outset been opposed to the development of the Seattle, Lake Shore & Eastern), continued its efforts to eliminate the Seattle, Lake Shore and Eastern as a competitor, buying up stock in the company in a behind-the-scenes effort to gain control of it if it couldn't kill it entirely (Armbruster 1999:135-136).

By 1890, the Seattle, Lake Shore & Eastern Railway operated 156 miles of track, extending to the Canadian border at Sumas. The following year, with financial tensions mounting, large blocks of shareholders began selling their holdings in the Seattle, Lake Shore & Eastern Railway to the Northern Pacific. In July, 1891, the Seattle, Lake Shore & Eastern Railway became an operating subsidiary of the Northern Pacific Railroad Company. In 1893, the Seattle, Lake Shore & Eastern Railway became a victim of the Great Panic of 1893, a nationwide market reaction to overspeculation in companies that had to that point failed to

show profit (Armbruster 1999:137-138). That year, the Seattle, Lake Shore & Eastern Railway was placed in receivership, and in 1896 was sold as a foreclosure. The company's holdings were sold to two companies. Trackage in eastern Washington was sold to the Spokane & Seattle Railway, while the trackage in western Washington (including the subject segments) was sold to the newly formed Seattle & International Railway Company (Robertson 1995:265-267).

The Seattle and International Railway Company was incorporated in 1896 by interests associated with the Northern Pacific Railway Company for the purpose of acquiring the western Washington holdings of the Seattle, Lake Shore & Eastern Railway Company, including all of its 166 miles of track. Between 1898 and 1903, the Northern Pacific expanded as the Pacific Northwest, and especially the Seattle area boomed after the discovery of gold in Alaska. As a part of this flurry of purchases, the Northern Pacific Railway Company formally purchased the Seattle and International Railway in 1901 (Cheever 1948:171, Armbruster 1999:158).

The Northern Pacific Railroad Company, incorporated in 1864, was sold under foreclosure to the Northern Pacific Railway Company in 1896, incorporated that year under Henry Villard for that purpose (Robertson 1991:332). The Northern Pacific Railway Company operated and maintained the line from 1901 until 1970, when the Northern Pacific Railway Company merged with several other railroads to form the Burlington Northern Railroad. During that time (in 1922), the bridge located at milepost 6.2 was built, replacing an earlier bridge at that location built by the Seattle, Lake Shore & Eastern Railway Company. In 1995, the Atchison Topeka & Santa Fe Railroad merged with the Burlington Northern to form the Burlington Northern & Santa Fe Railroad Company (BNSF 2007).

CONCLUSIONS AND RECOMMENDATIONS

AINW recommends that both of the subject railroads are eligible for listing in the NRHP, and that the bridges are considered to be contributing features to the eligible railroads. In addition, the rails, ties, switches, berms, and alignments are also considered to be contributing features. Removal or alteration of any of these features should be coordinated in consultation with the SHPO, which may view removal or alteration as adverse effects to the overall eligible resource. In the event that this is found to be the case, mitigation of these adverse effects should be negotiated with the SHPO. Mitigation measures may include photodocumentation, HABS/HAER level documentation, or installation of interpretive signage along the path, should one be constructed along the former railroad alignment. Contributing features which may not need to be removed, including bridges (to be left in place under the current project plan) should be preserved to help in maintaining the historical railroad associations.

REFERENCES CITED

Armbruster, Kurt E.

1999 *Orphan Road. The Railroad Comes to Seattle, 1853-1911*. Washington State University Press, Pullman, Washington.

BNSF

2007 *History*. Electronic Document. Available, <http://www.bnsf.com/aboutbnsf/history/bn.html>, access July 13, 2007.

Cheever, Bruce Bissell

1948 *The Development of Railroads in the State of Washington 1860 to 1948*. Master's thesis, University of Washington, Seattle.

Grant, Frederic James, editor

1891 *History of Seattle, Washington*. Northwestern Printing, Lithography, and Stationery, Ltd., Seattle, Washington.

Robertson, Donald B

1991 *Encyclopedia of Western Railroad History, Volume II The Mountain States*. The Caxton Printers, Ltd. Caldwell, Idaho

1995 *Encyclopedia of Western Railroad History, Volume III Oregon Washington*. The Caxton Printers, Ltd Caldwell, Idaho.

Soderberg, Lisa

1980 *Historic Bridges and Tunnels in Washington State* Washington State Department of Archaeology and Historic Preservation, Olympia

Stewart, John

1978 *King County Historic Sites Survey Inventory Sheet for Wilberton Railroad Trestle*. On file, Department of Archaeology and Historic Preservation, Olympia, Washington.




Figure 1 Northern Pacific Railway location (now BNSF), Sheet A





Figure 2. Northern Pacific Railway location (now BNSF), Sheet B.



HISTORIC PROPERTY INVENTORY REPORTS

Historic Property Inventory Report for Northern Pacific Railway Lake Washington Beltline at vicinity of Bellevue, WA

LOCATION SECTION:

Field Site No 071480-1 OAHP No.

Historic Name. Northern Pacific Railway Lake Washington Beltline

Common Name BNSF

Property Address vicinity of Bellevue, WA

Comments:

County	Township/Range/EW	Section	1/4 Sec	1/4 1/4 Sec	Quadrangle	UTM Reference	Acquisition Code.
<u>King</u>	<u>T24R05E</u>	<u>32</u>	<u>NW</u>		<u>MERCER ISLAND</u>	Zone <u>10</u> Spatial Type: <u>Point</u>	<u>Unknown</u>
	<u>T24R05E</u>	<u>31</u>	<u>SE</u>			Sequence <u>1</u> Easting <u>559680</u>	<u>Northng 5262680</u>
	<u>T24R05E</u>	<u>31</u>	<u>NE</u>			Sequence <u>2</u> Easting <u>562220</u>	<u>Northng. 5270420</u>
	<u>T24R05E</u>	<u>28</u>	<u>SW</u>			Sequence: <u>3</u> Easting <u>561700</u>	<u>Northng 5272140</u>
	<u>T24R05E</u>	<u>29</u>	<u>SE</u>			Sequence: <u>4</u> Easting <u>562360</u>	<u>Northng: 5289280</u>
	<u>T24R05E</u>	<u>29</u>	<u>NE</u>				
	<u>T24R05E</u>	<u>29</u>	<u>NW</u>				
	<u>T24R05E</u>	<u>20</u>	<u>SW</u>				
	<u>T24R05E</u>	<u>20</u>	<u>SE</u>				
	<u>T24R05E</u>	<u>20</u>	<u>NE</u>				
	<u>T24R05E</u>	<u>17</u>	<u>SE</u>		<u>KIRKLAND</u>		
	<u>T24R05E</u>	<u>16</u>	<u>SW</u>				
	<u>T24R05E</u>	<u>16</u>	<u>NW</u>				
	<u>T24R05E</u>	<u>9</u>	<u>SW</u>				
	<u>T24R05E</u>	<u>9</u>	<u>NW</u>				
	<u>T24R05E</u>	<u>4</u>	<u>NW</u>				
	<u>T25R05E</u>	<u>33</u>	<u>SW</u>				
	<u>T25R05E</u>	<u>33</u>	<u>NW</u>				
	<u>T25R05E</u>	<u>28</u>	<u>SW</u>				
	<u>T25R05E</u>	<u>28</u>	<u>NW</u>				
	<u>T25R05E</u>	<u>21</u>	<u>SW</u>				
	<u>T25R05E</u>	<u>20</u>	<u>SE</u>				
	<u>T25R05E</u>	<u>20</u>	<u>NE</u>				
	<u>T25R05E</u>	<u>20</u>	<u>NW</u>				
	<u>T25R05E</u>	<u>17</u>	<u>SW</u>				
	<u>T25R05E</u>	<u>17</u>	<u>NW</u>				
	<u>T25R05E</u>	<u>9</u>	<u>SW</u>				
	<u>T25R05E</u>	<u>9</u>	<u>NW</u>				
	<u>T25R05E</u>	<u>9</u>	<u>NE</u>				
	<u>T25R05E</u>	<u>5</u>	<u>SE</u>				
	<u>T25R05E</u>	<u>5</u>	<u>NE</u>				

Historic Property Inventory Report for Northern Pacific Railway Lake Washington Beltline **at** vicinity of Bellevue, WA

Tax No./Parcel No.	Plat/Block/Lot	Supplemental Map(s)	Acreage
T26R05E	32 SE		
T26R05E	32 NE		
T26R05E	33 NW		
T26R05E	28 SW		
T26R05E	28 SE		
T26R05E	28 NE		
T26R05E	27 SW		
T26R05E	27 NW		
T26R05E	22 SE		
T26R05E	22 NE		
T26R05E	22 NW		
T26R05E	15 SW		
T26R05E	15 NW		
T26R05E	16 NE		
T26R05E	9 SE		
T26R05E	9 NE		

Historic Property Northern Pacific Railway Lake Washington Beltline at vicinity of Bellevue, WA
Inventory Report for

IDENTIFICATION SECTION

Survey Name BNSF King County Abandonment

Field Recorder: Jason Allen and Elizabeth O'Brien Date Recorded 7/10/2007

Owner's Name: BNSF Owner Address 2650 Lou Menk Drive City/State/Zip Fort Worth, Texas 76131-2830

Classification Structure Resource Status Survey/Inventory Comments

Within a District? No

Contributing?

National Register Nomination.

Local District.

National Register District/Thematic Nomination Name

DESCRIPTION SECTION

Historic Use Transportation - Rail-Related

Current Use Transportation - Rail-Related

Plan No. of Stones

Structural System

Changes to plan Intact Changes to interior

Changes to original cladding:

Changes to windows

Cladding

Foundation

Post & Pier

Style

Form/Type

Roof Material

Roof Type

NARRATIVE SECTION

Study Unit

Manufacture/Industry

Transportation

Other


Date Of Construction: 1891

Architect Northern Pacific Railway Company

Builder Northern Pacific Railway Company

Engineer Northern Pacific Railway Company

Property appears to meet criteria for the National Register of Historic Places: Yes



View of Wilburton Trestle (MP 11.5) taken 7/10/2007

Photography Neg No (Roll No./Frame No.) IMG 5822.JPG

Comments The view is to the northwest

Historic Property Inventory Report for Northern Pacific Railway Lake Washington Beltline at vicinity of Bellevue, WA

Property is located in a potential historic district (National and/or local) Yes - Local
 Property potentially contributes to a historic district (National and/or local): Yes

Statement of Significance

The subject segments of the Northern Pacific line from Renton to Woodinville Junction are recommended to be eligible for listing in the National Register of Historic Places (NRHP) under Criterion A through their association with the development of railroads in the State of Washington and in the Puget Sound region. Additionally, this line is associated with the development of heavy industry in the eastern Puget Sound region, as it was primarily constructed to deliver coal to the developing steel plants in the area. The two segments include six bridges, all of which are recommended as contributing elements to the overall NRHP-eligibility of the railroad.

The railroad bridges and trestles are the most sustaining and substantial structures besides the alignments, grades and tracks. The structures are obvious expressions of the engineering challenges faced by the pioneering construction engineers and workers. As such, they are important contributing features to the significance of the railroad.

The type of bridge employed at a given location depended on the lay of the land, soil composition, climate, load capacities, material availability and time constraints. Many of the railroad bridges in the Pacific Northwest, because of the ready availability of timber, were constructed of wood, most commonly timber trestles in the late nineteenth and twentieth centuries and as late as the 1930s (Soderberg 1980:12). The Wilburton Trestle, located at milepost 11.5 spanning Mercer Slough, has been singled out as one the most outstanding examples of a timber trestle in the state of Washington due in part to its rarity because of the declining numbers (Soderberg 1980:10). There are timber trestles on the railroad line which were constructed within the historic period, most of these are diminutive in comparison to the Wilburton Trestle. Because of the material employed, the timber trestle bridges are more typically of more recent construction due to the relatively short lifespan of the wooden framing members. The bridges composed of timbers were regularly rebuilt and the timbers were replaced, more frequently in the earliest years, when untreated timbers, with a life expectancy of 10 to 15 years, were used (Soderberg 1980:11).

The bridges not constructed of timber were commonly constructed of steel. Commonly types of steel structures included steel trusses and riveted steel plate types. The riveted steel plate girder type bridges were found at several locations within the subject railroad segments. The steel plate members and other components were typically prefabricated and transported by railcar, but by this time could also be constructed onsite due to the advances in riveting technology which allowed for on-site fabrication.

The two subject segments the Northern Pacific (now BNSF) railroad were built in 1891 as a spur line connecting the Kirkland and Bellevue areas with a major Northern Pacific line at Renton. During the early years of operation, this line was primarily used to transport coal and iron from mines located in the hills to the east of the Puget Sound to developing industrial plants, especially the steel mill at Kirkland, established by Peter Kirk (Stewart 1978).

As the Puget Sound economy expanded branches of the railroad webbed out from the commercial centers of Puget Sound extending to developing markets and emerging areas of natural resources. The eastern shore of Lake Washington was home to milling operations of lumber, and coal tar products. Industrialists such as William Renton and Peter Kirk platted cities along Lake Washington's shoreline and engaged with railroad companies to bring spur lines to the plants they built. Northern Pacific's Lake Washington beltline railroad was graded by 1891 from Kirkland to Renton (Grant 1891:314-315).

Description of Physical Appearance

The subject railroad consists of two segments, both of which are parts of Northern Pacific Railroad Company's Lake Washington Beltline that extends from a junction near Renton, Washington northward to a junction at Woodinville, Washington. Within that alignment there are two segments proposed for abandonment by the current owner BNSF. The railroad is a single-track railroad on a built-up rock berm that extends north along the approximate route of I-405, generally staying within approximately 0.75 mile of that highway, until it reaches the I-405/NR 124th Street interchange, at which point it turns to the east and proceeds to the west side of Sammamish Valley, at which point it turns north, following the west side of Sammamish Valley until it reaches the junction at Woodinville. The southern of the two segments extend from milepost 5.00, in the community of Kenndale, to milepost 10.60, just north of the I-405/NR 90 interchange. The northern of the two segments begins at milepost 11.25, near the community of Wilburton, and extends to milepost 23.9 at Woodinville. The segments include six historic-period bridges and/or trestles, ranging in date of construction from 1904 to 1960. Each is documented below.

Southern Segment (MP 5.00 to MP 10.60)

MP 6.1 Bridge over May Creek

The bridge over May Creek at Scopa was constructed in 1960 to replace the previous bridge, also a 4-span pile structure. The present bridge is a 15-foot-high, 4-span, open pile trestle structure with an overall length of 60 feet, carrying a single track. There are three structural bent supports, each consisting of five cross-tied timber post piles. Two groupings of three timber girders extend across trestle bents. Metal flashing is used beneath the rail ties. Broken-off timber posts of the previous bridge are present beneath the current structure. The bridge has a plankled pedestrian crossing with a steel cable railing supported by steel flange posts along its east side.

Historic Property Inventory Report for Northern Pacific Railway Lake Washington Beltline at vicinity of Bellevue, WA

MP 9 1 Bridge over Coal Creek

The bridge over Coal Creek at Mile Post 9 1 is located east of the Newport Shores residential community. The structure was constructed in 1950, replacing a previous bridge at that location. It is a 38-foot-high, 8-span, open deck pile trestle structure with an overall length of 133 feet, carrying a single track. The structural bents are composed of four rounded timber posts and timber bracing members. A plank pedestrian crossing with a steel cable guard rail is located along the east side of the bridge. The area is heavily treed and next to a residential area developed in the late 1950s and 1960s.

MP 9 2 Bridge over Lake Washington Boulevard

The bridge over Lake Washington Boulevard is located east of the Newport Shores residential community. It was constructed in 1916 and consists of a single-span, 43-foot-long steel deck plate girder structure supported by two poured-concrete skewed abutments with adjacent basalt rock retaining walls. The deck is open with a single track. A metal label on the bridge's west elevation was unreadable. On the west elevation of the bridge, "Northern Pacific" is still visible, painted in large block lettering, although it is very worn, and only barely readable. The bridge is located immediately to the east of Newport Shores, a residential development established in the late 1950s and 1960s on the site of a former air landing strip.

Northern Segment (MP 11 25 to MP 23 9)

MP 11 5 Wilburton Crossing over Mercer Slough (Listed in NRHP)

The bridge over Mercer Slough, also known as the Wilburton Trestle, is a wood pile trestle bridge measuring 977 feet long with 32 spans, 34 bents, and a maximum height of 102 feet. The bridge was originally constructed in 1904, and its framing has been replaced four times over its lifespan (1913, 1924, 1933, and 1944). In 1972, when SE 8th Street (which passes beneath the trestle) was widened, a steel plate girder span was installed, supported by full-height concrete buttresses.

MP 17 1 Bridge over Kirkland Way

The bridge over Kirkland Way is located in eastern Kirkland, southwest of the I-405/Central Way interchange. Constructed in 1927, the structure measures 43 feet in overall length and 17 feet in height with a 39-foot-long single deck, plate girder span. The girders appear to have been covered in a concrete spray. The plate girder span rests on concrete abutments, the southern of which carries the Northern Pacific logo painted on the west elevation. The bridge carries a single track on a graveled bed, and railings composed of metal flange posts and pipe rails line both sides. The surrounding area is primarily residential with some industrial buildings along the railroad including a warehouse and former cannery factory to the south.

MR 23 9 Bridge over Sammamish River

The bridge over the Sammamish River is located in Woodinville, to the south of NE 175th Street. Constructed in 1914, the structure is 159 feet in overall length with a central 70-foot-long through plate girder span with ballast covered pile trestles at each end. The bridge has four open pile trestle spans at the east end and three open pile trestle spans at the west end. Modifications to the bridge include opening the east end for a pedestrian trail, and reinforcement of the central piles with steel framing members to bear the load of the through plate girder span.

Major Bibliographic References

- Avery, Mary W.
1965 *Washington: A History of the Evergreen State*. University of Washington Press, Seattle and London.
- Brokenshire, Doug
1993 *Washington State Place Names from Alki to Yelm*. Caxton Printers, Caldwell, Idaho.
- Grant, Fredenc James, Editor
1891 *History of Seattle, Washington*. Northwestern Printing, Lithography, and Stationery, Ltd., Seattle, Washington.
- Jones, Jeanne Lang
2006 *Conner Homes busy Barbee Mill site hourly duplexes*. Puget Sound Business Journal. Internet document. Available, <http://seattle.bizjournals.com/seattle/stories/2006/06/26/story4.html>, accessed
- Soderberg, Lisa
1980 *Historic Bridges and Tunnels in Washington State*. Washington State Department of Archaeology and Historic Preservation, Olympia.
- Stewart, John H.
1978 *King County Historic Sites Survey Inventory Sheet for Wilburton Railroad Trestle*. On file, Department of Archaeology and Historic Preservation, Olympia, Washington.

Additional Photos for: Northern Pacific Railway Lake Washington
Beltline


at vicinity of Bellevue, WA



View of south end of southern segment (MP 5.0) taken 7/10/2007

Photography Neg. No (Roll No./Frame No.) IMG 5789.JPG


Comments The view is to the northwest.



View of bridge at MP 9.1 taken 7/10/2007

Photography Neg. No (Roll No./Frame No.) IMG 5811.JPG

Comments The view is to the south.



View of bridge at MP 6.1 taken 7/10/2007

Photography Neg. No (Roll No./Frame No.) IMG 5792.JPG

Comments The view is to the south.




View of bridge at MP 9.2 taken 9/8/2005

Photography Neg. No (Roll No./Frame No.) IMG 5806.JPG

Comments The view is to the west.


Additional Photos for Northern Pacific Railway Lake Washington Beltline



View of north end of southern segment (MP 10.60) taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG 5920.JPG

Comments —The view is to the south—




View of north end of Wilburton Trestle (MP 11.5) taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG 5927.JPG

Comments The view is to the west.

at Northern Pacific Railway Lake Washington Beltline



View of south end of Wilburton Trestle, also the south end of northern segment (MP 11.25) taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG 5923.JPG

Comments —The view is to the southwest—



View of bridge at MP 17.1 taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG 5932.JPG

Comments The view is to the west.

Additional Photos for: Northern Pacific Railway Lake Washington Beltline

at Northern Pacific Railway Lake Washington Beltline



View of bridge at MP 23.9, also the north end of northern segment taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG_5875.JPG

Comments: The view is to the southeast!

View of

taken

Photography Neg. No (Roll No./Frame No.)

Comments:

View of

taken

Photography Neg. No (Roll No./Frame No.)

Comments:

View of

taken

Photography Neg. No (Roll No./Frame No.):

Comments




Figure 1. Northern Pacific Railway location (now BNSF), Sheet A




Figure 2. Northern Pacific Railway location (now BNSF), Sheet B




Figure 3. 2002 aerial photograph showing the Northern Pacific Railway location (now BNSF), Sheet A




Figure 4 2002 aerial photograph showing the Northern Pacific Railway location (now BNSF), Sheet B

Historic Property Inventory Report for

Seattle, Lake Shore & Eastern Railway

at vicinity of Redmond, WA 98052

LOCATION SECTION

Historic Name Seattle, Lake Shore & Eastern Railway

Field Site No Q71480-2

OAHP No

Common Name. BNSF

Property Address: vicinity of Redmond, WA 98052

Comments

County	Township/Range/EW	Section	1/4 Sec	1/4 1/4 Sec	Quadrangle	UTM Reference	Acquisition Code	USGS Topo
King	T25R5E	12	NE		REDMOND	Zone 10		
	T25R5E	12	NW		KIRKLAND	Sequence 1	Eastng. 568760	5279800
	T25R5E	11	NE			Sequence 2	Eastng. 563820	5288760
	T25R5E	2	NW					
	T25R5E	2	SW					
	T25R5E	3	NE					
	T25R5E	27	SW					
	T25R5E	27	NE					
	T25R5E	22	NE					
	T25R5E	22	SE					
	T25R5E	34	NE					
	T25R5E	34	SE					

Tax No./Parcel No

Plat/Block/Lot

Supplemental Map(s)

Acresage

Historic Property
Inventory Report for

Seattle Lake Shore & Eastern Railway

at vicinity of Redmond, WA 98052

IDENTIFICATION SECTION

Survey Name BNSF King County Abandonment

Field Recorder: Jason Allen and Elizabeth O'Brien

Date Recorded 7/9/2007

Owner's Name

Owner Address

City/State/Zip:

2650 Lou Mark Drive

Fort Worth, Texas 76131-2830

Classification: Structure

Resource Status

Comments

Within a District? No

Survey/Inventory

Contributing?

National Register Nomination

Local District:

National Register District/Thematic Nomination Name:

DESCRIPTION SECTION

Historic Use: Transportation - Rail-Related

Current Use: Transportation - Rail-Related

Plan

No of Stories

Structural System

Changes to plan Intact

Changes to Interior

Changes to original cladding

Changes to other

Changes to windows

Other (specify)

Cladding

Foundation

Post & Pier

Style

Form/Type

Roof Material

Roof Type

NARRATIVE SECTION

Date Of Construction 1887-1888, 1922

Architect: S. L. S. & E. R. R. Northern Pacific Railway Co.

Builder: same

Engineer: same

Study Unit

Transportation

Other

Property appears to meet criteria for the National Register of Historic Places Yes



View of bridge over Sammamish River at milepost 6.2 taken 7/10/2007

Photography Neg. No (Roll No./Frame No) IMG-6902.JPG

Comments The view is to the northwest

Historic Property Inventory Report for

Seattle, Lake Shore & Eastern Railway

at vicinity of Redmond, WA 98052

Property is located in a potential historic district (National and/or local): Yes - Local

Property potentially contributes to a historic district (National and/or local) Yes

Statement of Significance

The railroad segment is a part of the 63.3-mile long rail line constructed in 1887-1888 by the Seattle, Lake Shore & Eastern Railway Company. The line extended from Seattle, north of Lake Washington to Woodinville, then southeast through Redmond and Fall City. This railroad segment is recommended to be eligible for listing in the National Register of Historic Places (NRHP) under Criterion A for its role in the development of railroads in the Pacific Northwest, the State of Washington, and the Puget Sound area. The Seattle, Lake Shore & Eastern Railway also played a significant part in the development of Seattle as a major Pacific Northwest railroad hub, in competition with the Tacoma terminus of the Northern Pacific Railroad Company. Although the railroad was eventually purchased by the Northern Pacific, the Seattle, Lake Shore & Eastern Railway was organized and created by local Seattle interests, and played a major part in the development of Seattle as a rival to and eventually dominant neighbor of Tacoma.

The Seattle, Lake Shore & Eastern Railway Company was incorporated in April 1885. Organized by Seattle businessmen Thomas Burke and Daniel Gilman, and supported by other local Seattle businessmen and citizens, the formation of the railroad was driven by an effort to create a direct rail link with eastern Washington and beyond (Ambruster 1999:122). Originally intended to extend east from Seattle, through Snoqualmie Pass, to Spokane, the company filed supplementary articles of incorporation in 1886, declaring its intention to extend its route to Deadwood, Dakota Territory (now in South Dakota) (Cheever 1948:169-170). Although these plans would never be fully implemented, the company began construction of its line between Seattle and Sallal Prairie in 1887.

The line went into service between Seattle and Fall City in May 1888, and by December 1889, the line was extended from Fall City to Sallal Prairie. Already, however, the Seattle, Lake Shore & Eastern Railway was operating at a loss due to high maintenance costs. In addition, difficulties with the associated construction branch of the corporation led to the filing of a motion to place the line into receivership after the construction company was found to be in default of bonds it had issued to cover the expenses of construction in the Spokane area. Although the suit was eventually thrown out, the power behind the motion, the Northern Pacific Railroad Company (which had since the outset been opposed to the development of the Seattle, Lake Shore & Eastern), continued its efforts to eliminate the Seattle, Lake Shore & Eastern as a competitor, buying up stock in the company in a behind-the-scenes effort to gain control of it if it couldn't kill it entirely (Ambruster 1999:135-136).

By 1890, the Seattle, Lake Shore & Eastern Railway operated 156 miles of track, extending to the Canadian border at Sumas. The following year, with financial tensions mounting, large blocks of shareholders began selling their holdings in the Seattle, Lake Shore & Eastern Railway to the Northern Pacific. In July, 1891, the Seattle, Lake Shore & Eastern Railway became an operating subsidiary of the Northern Pacific Railroad Company. In 1893, the Seattle, Lake Shore & Eastern Railway became a victim of the Great Panic of 1893, a nationwide market reaction to over-speculation in companies that had to that point failed to show profit (Ambruster 1999:137-138). That year, the Seattle, Lake Shore & Eastern was placed in receivership, and in 1896 was sold as a foreclosure. The company's holdings were sold to two companies. Trackage in eastern Washington was sold to the Spokane & Seattle Railway, while the trackage in western Washington (including the subject segments) was sold to the newly formed Seattle & International Railway Company (Robertson 1995:265-267).

The Seattle and International Railway Company was incorporated in 1896 by interests associated with the Northern Pacific Railway Company for the purpose of acquiring the western Washington holdings of the Seattle, Lake Shore & Eastern Railway, including all of its 166 miles of track. Between 1898 and 1903, the Northern Pacific expanded as the Pacific Northwest, and especially the Seattle area boomed after the discovery of gold in Alaska. As a part of this flurry of purchases, the Northern Pacific Railway Company formally purchased the Seattle and International Railway in 1901 (Ambruster 1999:158, Cheever 1948:171).

The Northern Pacific Railroad Company, incorporated in 1884, was sold under foreclosure to the Northern Pacific Railway Company in 1896, incorporated that year under Henry Villard for that purpose (Robertson 1991:332). The Northern Pacific Railway Company operated and maintained the line from 1901 until 1970, when the Northern Pacific Railway Company merged with several other railroads to form the Burlington Northern Railroad. During that time (in 1922), the bridge located at milepost 6.2 was built, replacing an earlier bridge at that location built by the Seattle, Lake Shore & Eastern Railway Company. In 1995, the Atchison Topeka & Santa Fe Railroad merged with the Burlington Northern to form The Burlington Northern and Santa Fe Railroad Company (BNSF 2007). The Burlington Northern and Santa Fe Railway Company changed its name in 2005 to BNSF Railway Company.

Description of Physical Appearance

This segment of the BNSF railroad extends from a previously abandoned segment at milepost 7.30 (southeast of Redmond, Washington), across the Sammamish River, and along the western side of the Sammamish Valley, north to where the railroad crosses Washington State Highway 202 (milepost 1.86). The railroad remains intact north of milepost 1.86, at least as far as Woodinville Junction, but BNSF has limited the current abandonment work to the above-defined segment (MP 1.86 to MP 7.30). The railroad is carried over the Sammamish River on an open pile trestle bridge at milepost 6.2, considered to be a contributing feature to this NRHP-eligible railroad segment.

This segment is a single-track railroad on a raised gravel berm. At the crossing of the Sammamish River (milepost 6.2), the railroad is carried on a 220-foot-long, 5-span, open

**Historic Property
Inventory Report for**

Seattle, Lake Shore & Eastern Railway at **vicinity of Redmond, WA 98052**

pile trestle bridge with a central 70-foot-long steel deck plate girder span. This bridge, built in 1922, crosses the river at an overall height of 32 feet above the surface of the Sammamish River. The trestle bridge is supported at both ends by wooden embankments set into the built-up berm. The bridge has a plank pedestrian walkway on the south side, extending alongside the tracks, with flange metal posts strung with steel cable. The bridge appears to have been burned, and has some superficial burn damage on the east side of the river. This railroad segment has not carried rail traffic for some time, though the rails and ties remain in place.

**Major
Bibliographic
References**

- Ambruster, Kurt E
1998 Orphan Road The Railroad Comes to Seattle, 1853-1911 Washington State University Press, Pullman, Washington
- BNSF
2007 History Electronic Document. Available, <http://www.bnsf.com/about/bnsf/history/bn.html>, access July 13, 2007
- Cheever, Bruce Bissell
1948 The Development of Railroads in the State of Washington 1860 to 1948 Master's thesis, University of Washington, Seattle
- Robertson, Donald B
1991 Encyclopedia of Western Railroad History, Volume II The Mountain States The Caxton Printers, Ltd Caldwell, Idaho
1995 Encyclopedia of Western Railroad History, Volume III Oregon Washington The Caxton Printers, Ltd Caldwell, Idaho

Additional Photos for: Seattle Lake Shore & Eastern Railway

at vicinity of Redmond, WA 98052



View of Seattle Lake Shore & Eastern Railway taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG-5918.JPG

Comments: Looking northwest along railroad from milepost 7.3



View of Seattle Lake Shore & Eastern Railway taken 7/10/2007

Photography Neg. No (Roll No./Frame No.): IMG-5914.JPG

Comments: Looking southeast along railroad from milepost 1.86



View of Seattle Lake Shore & Eastern Railway taken 7/10/2007

Photography Neg No (Roll No./Frame No.): IMG-5911.JPG

Comments: Looking south along railroad from milepost 3.9

View of

Photography Neg No (Roll No./Frame No.):

Comments:





Figure 1. Seattle, Lake Shore & Eastern Railway (now BNSF) location.

EXHIBIT B-2

**HISTORIC RESOURCE INVENTORY OF
RAILWAY MP 0.00 to 1.86 FOR THE
BNSF KING COUNTY ABANDONMENT PROJECT,**



July 15, 2008

REPORT NO. 2173

Archaeological Investigations Northwest, Inc.

2632 SE 162nd Ave • Portland, OR • 97236

Phone 503 761-6605 • Fax 503 761-6620

**HISTORIC RESOURCE INVENTORY OF
RAILWAY MP 0.00 to 1.86 FOR THE
BNSF KING COUNTY ABANDONMENT PROJECT,
WASHINGTON
ADDENDUM REPORT**

PROJECT: BNSF King County Abandonment Project

TYPE: Pedestrian Survey

LOCATION: Township 26 North, Range 5 East, Sections 9, 15, and 16, Willamette Meridian

USGS QUAD: *Bellevue North, WA, 7 5-minute, 1982,*
Bothell, WA, 7 5-minute, 1953, photorevised 1981

CITIES: Vicinity of Woodinville, Washington

COUNTY: King

**AREA
SURVEYED:** 2.99 kilometers (1.86 miles) along BNSF right-of-way in King County

FINDINGS: The segment of Seattle, Lake Shore & Eastern Railway within the project area is eligible for listing in the National Register of Historic Places

PREPARERS: Elizabeth O'Brien, B Architecture

INTRODUCTION

Archaeological Investigations Northwest, Inc. (AINW), has completed a historic resources survey on a segment of the BNSF Railway Company (BNSF) rail line in King County, Washington. This report is an addendum to a previous BNSF survey on the same alignment that was completed by AINW in 2007 (Allen 2007). BNSF proposes to relinquish ownership of several railroad alignments to Port of Seattle. A portion of the alignments will then be railbanked to King County for use as bicycle/pedestrian trails. The BNSF railroad sections will be abandoned but all tracks and ties will remain in place. The Area of Potential Effect (APE) for the present project includes all the area within the BNSF right-of-way between mileposts (MP) 0.00 and 1.86. The rail line is the former Seattle, Lake Shore and Eastern Railway between Woodinville and Redmond, and is locally known as the Redmond Spur.

On July 10, 2008, AINW architectural historian Elizabeth J. O'Brien conducted a field survey of the project APE. Railroad features that dated to the historic period were noted and photographed. Documentary research was conducted at the State Historic Preservation Office (SHPO) in Olympia, Washington, to determine if the railroad or any railroad-related features within the APE have been previously documented. No features within the current study area were previously documented. The railway segment represents an extended portion of the line that was previously recorded by AINW in 2007 and was recommended to be eligible for listing in the NRHP. A Washington State Historic Property Inventory form for the current railway segment is included in the Appendix of this report.

Seattle, Lake Shore & Eastern Railway
(MP 0 00 to MP 1 86)

The recorded segment of the BNSF Railway (MP 0 00 to MP 1 86) extends to the northwest from the segment that was documented by AINW in 2007 (MP 1 86 to MP 7 30). The current study segment begins at MP 0 00 at Woodinville Junction, at the northwest corner of the Woodinville Wye, approximately 364 meters (m) (1,200 feet [ft]) northwest of NE 175th Street. This segment continues to the southeast where it terminates at MP 1 86 at Washington State Highway 202 (NE 145th Street). The recorded railroad segment remains intact. The standard gauge single-track railroad is on a raised gravel berm that varies in height up to 1 2 to 1 5 m (4 to 5 ft).

At the start of the segment, remnants of siding tracks consisting of rail and ties are located on both sides of the track. Also at the start of the segment are a Racor 22p low switch stand and a metal screw conveyor system that bisects the berm and lies under the track. The segment continues to the southeast crossing NE 175th Street in a commercial area, and crosses the BNSF Woodinville Subdivision tracks. This segment then parallels Woodinville Redmond Road where it passes through an area of modern commercial/light industrial buildings located on a lower terrace of the Sammamish River's south bank. A series of private crossings over the railroad tracks provide access from Woodinville Redmond Road to these businesses. Three tile pipes provide drainage in this area. The rail segment leaves the open commercial/business area and continues through a corridor of trees and undergrowth. Columbia Winery is to the west, where an asphalt-paved walkway/loading area abuts the tracks. The Redhook Brewery development is on the opposite side to the east, both operations are located at the segment terminus at MP 1.85 at Washington State Highway 202 (NE 145th Street).

The recorded railroad segment is part of the 101 3-kilometer (km) (63 3-mile [mi]) long rail line constructed in 1887-1888 by the Seattle, Lake Shore & Eastern Railway Company. The line extended from Seattle, north of Lake Washington to Woodinville, then southeast through Redmond and Fall City. The railroad segment is recommended to be eligible for listing in the NRHP under Criterion A for its role in the development of railroads in the Pacific Northwest, the State of Washington, and the Puget Sound area. The Seattle, Lake Shore & Eastern Railway also played a significant role in the development of Seattle as a major Pacific Northwest railroad hub, in competition with the Tacoma terminus of the Northern Pacific Railroad Company. Although the railroad was eventually purchased by the Northern Pacific, the Seattle, Lake Shore & Eastern Railway was organized and created by local Seattle interests, and played a major part in the development of Seattle as a rival to, and eventually dominant neighbor of, Tacoma.

The Seattle, Lake Shore & Eastern Railway Company was incorporated in April 1885 and organized by Seattle businessmen Thomas Burke and Daniel Gilman. The railway was supported by other local Seattle businessmen and citizens. The formation of the railway was driven by an effort to create a direct rail link with eastern Washington and beyond (Armbruster 1999 122). A line was constructed from Seattle to Sallal in 1887, and was in service to Fall City by May 1888 and to Sallal Prairie by 1889.

Almost from the start the railroad experienced financial difficulties due to high maintenance costs. The Seattle, Lake Shore & Eastern Railway became an operating subsidiary of the Northern Pacific Railroad Company in July, 1891, but became a victim of the Great Panic of 1893 (Armbruster 1999 137-138). That year, the Seattle, Lake Shore & Eastern Railway was placed in receivership, and in 1896 was sold in foreclosure. The company's holdings were sold to two companies. The western Washington trackage (including the subject segment) was sold to the newly established Seattle & International Railway Company. In 1901,

the railway was sold to Northern Pacific and became known as the Seattle Division (Robertson 1995 265-267, Armbruster 1999 138-140)

The Northern Pacific Railway Company operated and maintained the line from 1901 until 1970, when the Northern Pacific Railway Company merged with several other railroads to form the Burlington Northern Railroad. During that time (in 1922), the rail line was known as the Snoqualmie Branch to Sallal. In 1995, the Atchison Topeka & Santa Fe Railroad merged with the Burlington Northern to form The Burlington Northern & Santa Fe Railway Company whose name was changed in 2005 to BNSF Railway Company (BNSF 2007)

Woodinville

The Woodinville community directly benefited from the opening of the railroad. The community had long served as a transportation crossroads for the prevailing modes of transport, including riverboat, stage, and railroad travel. The first known pioneers to settle in the vicinity were Susan and Ira Woodin in 1871, who brought their possessions from Seattle via a rowboat and scow along Lake Washington and the Squak Slough, later named Sammamish River. A community formed as others came to the Woodins' settlement and it flourished when the Seattle, Lake Shore Eastern Railway reached Woodinville in 1887. Many people created a living by logging their land and transporting the logs by river to the mills. Stump farms were transformed into large agricultural plots used for dairying and vegetable farms. A commercial center formed near the railroad tracks at the crossing of the Sammamish River. Several commercial buildings were built on pilings near the railroad platform, including the Woodin-Sanders Store in 1888 (Edwards 1993, Woodinville Heritage Society 2005 1-5)

Mary B. Neilsen Jaderholm platted the Town of Woodinville in 1890 and a railroad station was constructed several years later (circa 1893). In the early twentieth century, large hobby farms were established by wealthy businessmen that drew weekend visitors traveling by train. The Hollywood Farm (1910-1911), located outside the project area, had its own siding for shipping goods from its greenhouses. Commercial and residential plots formed on the west side of the Sammamish River near the railroad, but the community retained its agricultural focus into the mid-twentieth century (Edwards 1993, Woodinville Heritage Society 2005 1-5)

Access to Woodinville was increased by the opening of I-405 in the 1960s, which brought more people and land developers. The Hollywood Farm became home to the Ste. Michelle Vinters Winery in the 1970s, and other wineries and a brewery have been established near the railroad corridor. Woodinville incorporated in 1993. Today, most of the railroad segment is adjacent to light industrial buildings.

CONCLUSIONS AND RECOMMENDATIONS

AINW recommends that the BNSF Redmond Spur Railway segment is eligible for listing in the NRHP. A Washington State Historic Property Inventory form that evaluates the railway segment is included in the Appendix. The rails, ties, switch, metal screw conveying system, berms, and alignments are considered to be contributing features to the significance of the historic resource. The segment is significant as an extension of the previously recorded segment of the same alignment (Allen 2007).

Removal or alteration of any of these railway features recorded as the historic resource should be coordinated in consultation with the SHPO, which may view removal or alteration as adverse effects to the overall eligible resource. In the event that this is found to be the case, mitigation of these adverse effects should be negotiated with the SHPO. Mitigation measures

may include photodocumentation, HABS/HAER level documentation, or installation of interpretive signage along the proposed recreational trail

REFERENCES CITED

Allen, Jason M

2007 *Historic Resource Inventory of the BNSF King County Abandonment Project, Washington* Archaeological Investigations Northwest, Inc Report No 1965 Prepared for BNSF Railway Company, Fort Worth, Texas

Armbruster, Kurt E

1999 *Orphan Road The Railroad Comes to Seattle, 1853-1911* Washington State University Press, Pullman, Washington

BNSF

2007 *Burlington Northern History* Electronic Document Available, <http://www.bnsf.com/aboutbnsf/history/bn.html>, accessed July 13, 2008

Edwards, Carol Ann [Publisher]

1993 *The City of Woodinville A History in Logging, Farming and Commerce* Electronic document Available, <http://www.kcls.org/woodinville/history.cfm>, accessed July 8, 2008

Robertson, Donald B

1995 *Encyclopedia of Western Railroad History, Volume III Oregon Washington* The Caxton Printers, Ltd Caldwell, Idaho

Woodinville Heritage Society

2005 *Historical Timeline* Available, http://www.woodinvilleheritage.org/FS_timeline.html, accessed July 14, 2008.




Figure 1 Seattle, Lake Shore & Eastern Railway (now BNSF) location

APPENDIX

HISTORIC PROPERTY INVENTORY FORM

Historic Property Inventory Report for

Seattle, Lake Shore, and Eastern Railway

at vicinity of Woodinville WA

LOCATION SECTION

Historic Name Seattle, Lake Shore, and Eastern Railway

Property Address vicinity of Woodinville, WA

Field Site No 08/1648-1

OAHP No

Common Name BNSF

Comments Also Quadrangle BELLEVUE NORTH

County	Township/Range/EW	Section	1/4 Sec	1/4 Sec	1/4 Sec	Quadrangle
King	T26R05E	08	SE	NW		BOTHELL
	T26R05E	08	SE	NE		
	T26R05E	09	SE	SE		
	T26R05E	16	NE	NE		
	T26R05E	15	NW	NW		
	T26R05E	15	NW	SW		
	T26R05E	15	NW	SE		
	T26R05E	15	SW	NE		
	T26R05E	15	SW	SE		

UTM Reference

Zone 10 Spatial Type

Sequence 1 Easting 562118

Sequence 2 Easting 563827

Acquisition Code Unknown

Northing 5289140

Northing 5286760

Tax No /Parcel No

N/A

Plat/Block/Lot

Supplemental Map(s)

Acreage

1.12725

Historic Property Inventory Report for

Seattle, Lake Shore, and Eastern Railway at vicinity of Woodinville, WA

IDENTIFICATION SECTION

Field Recorder Elizabeth O'Brien Survey Name BNSF King County Abandonment
 Owner's Name BNSF Owner Address 2650 Lou Menk Drive Date Recorded 7/10/2008
 City/State/Zip Fort Worth, Texas 76131-2830

Classification Structure Resource Status Comments

Within a District? No

Contributing?

National Register Nomination

Local District

National Register District/Thematic Nomination Name

DESCRIPTION SECTION

Historic Use Transportation - Rail-Related

Current Use Transportation - Rail-Related

Plan No of Stories N/A

Structural System

Changes to plan Intact

Changes to original cladding

Changes to windows

Cladding

Changes to Interior

Changes to other

Other (specify)

Foundation

Style

Roof Material

Roof Type



View of railroad segment where the old Woodinville business center was located. taken 7/10/2008

Photography Neg No (Roll No./Frame No) IMG_8185.JPG

Comments The view is to the northwest.

NARRATIVE SECTION

Study Unit Other

Transportation

Date Of Construction 1887

Architect Seattle et al Railway, No Pacific Railway Co.

Builder same

Engineer same

Historic Property Inventory Report for

Seattle Lake Shore and Eastern Railway at vicinity of Woodinville, WA

Property appears to meet criteria for the National Register of Historic Places Yes

Property is located in a potential historic district (National and/or local)

Property potentially contributes to a historic district (National and/or local)

Statement of Significance

The Seattle, Lake Shore & Eastern Railway recorded railroad segment (MP 0 00 to MP 1 86) is part of the 101 3-kilometer (63 3-mile) long rail line constructed in 1887-1888 by the Seattle, Lake Shore & Eastern Railway Company. The line extended from Seattle, north of Lake Washington to Woodinville, then southeast through Redmond and Fall City. The segment is significant as an extension of the previously recorded segment of the same alignment (Allen 2007). The railroad segment is recommended to be eligible for listing in the NRHP under Criterion A for its role in the development of railroads in the Pacific Northwest, the State of Washington, and the Puget Sound area. The Seattle, Lake Shore & Eastern Railway also played a significant role in the development of Seattle as a major Pacific Northwest railroad hub in competition with the Tacoma terminus of the Northern Pacific Railroad Company. Although the railroad was eventually purchased by the Northern Pacific, the Seattle, Lake Shore & Eastern Railway was organized and created by local Seattle interests, and played a major part in the development of Seattle as a rival to, and eventually dominant neighbor of Tacoma.

The BNSF Railway segment is recommended to be eligible for listing in the NRHP. The rails ties, switch, metal screw conveying system, berms, and alignments are considered to be contributing features to the significance of the historic resource. The segment is significant as an extension of the previously recorded segment of the same alignment (Allen 2007).

Seattle Lake Shore & Eastern Railway Company

The Seattle, Lake Shore & Eastern Railway Company was incorporated in April 1885 and organized by Seattle businessmen Thomas Burke and Daniel Gilman. The railway was supported by other local Seattle businessmen and citizens. The formation of the railway was driven by an effort to create a direct rail link with eastern Washington and beyond (Armbruster 1999:122). A line was constructed from Seattle to Sallal in 1887, and was in service to Fall City by May 1888 and to Sallal Prairie by 1889.

Almost from the start the railroad experienced financial difficulties due to high maintenance costs. The Seattle Lake Shore & Eastern Railway became an operating subsidiary of the Northern Pacific Railroad Company in July 1891, but became a victim of the Great Panic of 1893 (Armbruster 1999:137-138). That year, the Seattle Lake Shore & Eastern Railway was placed in receivership and in 1896 was sold in foreclosure. The company's holdings were sold to two companies. The western Washington trackage (including the subject segment) was sold to the newly established Seattle & International Railway Company. In 1901, the railway was sold to Northern Pacific and became known as the Seattle Division (Robertson 1995:265-267, Armbruster 1999:138-140).

The Northern Pacific Railway Company operated and maintained the line from 1901 until 1970, when the Northern Pacific Railway Company merged with several other railroads to form the Burlington Northern Railroad. During that time (in 1922) the rail line was known as the Snoqualmie Branch to Sallal. In 1995 the Atchison Topeka & Santa Fe Railroad merged with the Burlington Northern to form The Burlington Northern & Santa Fe Railway Company, whose name changed in 2005 to BNSF Railway Company (BNSF 2007).

Woodinville

The Woodinville community directly benefited from the opening of the railroad. The community had long served as a transportation crossroads for the prevailing modes of transport, including riverboat, stage and railroad travel. The first known pioneers to settle in the vicinity were Susan and Ira Woodin in 1871, who brought their possessions from Seattle via a rowboat and scow along Lake Washington and the Squak Slough, later named Sammamish River. A community formed as others came to the Woodins' settlement and it flourished when the Seattle Lake Shore Eastern Railway reached Woodinville in 1887. Many people created a living by logging their land and transporting the logs by river to the mills. Stump farms were transformed into large agricultural plots used for dairying and vegetable farms. A commercial center formed near the railroad tracks at the crossing of the Sammamish River. Several commercial buildings were built on plings near the railroad platform, including the Woodin-Sanders Store in 1888 (Edwards 1993, Woodinville Heritage Society 2005:1-5).

Mary B. Neilson Jaderholm platted the Town of Woodinville in 1890 and a railroad station was constructed several years later (circa 1893). In the early twentieth century, large hobby farms were established by wealthy businessmen that drew weekend visitors traveling by train. The Hollywood Farm (1910-1911), located outside the project area, had its own siding for shipping goods from its greenhouses. Commercial and residential plots formed on the west side of the Sammamish River near the railroad, but the community retained its agricultural focus into the mid-twentieth century (Edwards 1993, Woodinville Heritage Society 2005:1-5).

Access to Woodinville was increased by the opening of Interstate 405 in the 1960s, which brought more people and land developers. The Hollywood Farm became home to the Ste Michelle Vinters Winery in the 1970s, and other wineries and a brewery have been established near the railroad corridor. Woodinville incorporated in 1993. Today, most of

Historic Property Inventory Report for

Seattle, Lake Shore, and Eastern Railway

at vicinity of Woodinville, WA

the railroad segment is adjacent to light industrial buildings

Description of Physical Appearance

The recorded segment of the BNSF Railway (MP 0 00 to MP 1 86) extends to the northwest from the segment that was documented by AINW in 2007 (MP 1 86 to MP 7 30). The current study segment begins at MP 0 00 at Woodinville Junction, at the northwest corner of the Woodinville Wye, approximately 364 meters (m) (1,200 feet [ft]) northwest of NE 175th Street. This segment continues to the southeast where it terminates at MP 1 86 at Washington State Highway 202 (NE 145th Street). The recorded railroad segment remains intact. The standard gauge single-track railroad is on a raised gravel berm that varies in height up to 1 2 to 1 5 m (4 to 5 ft).

At the start of the segment, remnants of siding tracks consisting of rail and ties are located on both sides of the track. Also at the start of the segment are a Racor 22p low switch stand and a metal screw conveyor system that bisects the berm and lies under the track. The segment continues to the southeast crossing NE 175th Street in a commercial area, and crosses the BNSF Woodinville Subdivision tracks. This segment then parallels Woodinville Redmond Road where it passes through an area of modern commercial/light industrial buildings located on a lower terrace of the Sammamish River's south bank. A series of private crossings over the railroad tracks provide access from Woodinville Redmond Road to these businesses. Three tile pipes provide drainage in this area. The rail segment leaves the open commercial/business area and continues through a corridor of trees and undergrowth. Columbia Winery is to the west where an asphalt-paved walkway/loading area abuts the tracks. The Redhook Brewery development is on the opposite side to the east; both operations are located at the segment terminus at MP 1 85 at Washington State Highway 202 (NE 145th Street).

Major Bibliographic References

Allen, Jason M.

2007 Historic Resource Inventory of the BNSF King County Abandonment Project, Washington. Archaeological Investigations Northwest, Inc. Report No. 1965. Prepared for BNSF Railway Company, Fort Worth, Texas.

Armbruster, Kurt E.

1999 Orphan Road. The Railroad Comes to Seattle, 1853-1911. Washington State University Press, Pullman, Washington.

BNSF

2007 Burlington Northern History. Electronic Document. Available <http://www.bnsf.com/aboutbnsf/history/bn.html>, accessed July 13, 2008.

Edwards, Carol Ann [Publisher]

1993 The City of Woodinville. A History in Logging, Farming and Commerce. Electronic document. Available, <http://www.kcils.org/woodinville/history.cfm>, accessed July 8, 2008.

Robertson, Donald B.

1995 Encyclopedia of Western Railroad History, Volume III: Oregon-Washington. The Caxton Printers, Ltd., Caldwell, Idaho.

Woodinville Heritage Society

2005 Historical Timeline. Available, http://www.woodinvilleheritage.org/FS_timeline.html, accessed July 14, 2008.

Additional Photos for: Seattle, Lake Shore, and Eastern Railway


at vicinity of Woodinville, WA



View of the beginning of segment with Woodinville Wye in the distance taken 7/10/2008

Photography Neg No (Roll No./Frame No) IMG_8178.JPG

Comments —The view is to the southeast.



View of the screw conveyor located west of Woodinville Wye taken 7/10/2008

Photography Neg No (Roll No./Frame No) IMG_8182.JPG

Comments —The view is to the southwest.



View of the east edge of Woodinville Wye where railroads cross taken 7/10/2008

Photography Neg No (Roll No./Frame No) IMG_8191.JPG

Comments —The view is to the northeast.



View of the segment terminus at MP 1.86 (NE 145th Street) The Columbia Winery is to the left taken 7/10/2008

Photography Neg No (Roll No./Frame No) IMG_8221.JPG

Comments —The view is to the north-northwest.

EXHIBIT C-1




Figure 3 Seattle, Lake Shore & Eastern Railway (now BNSF) location.

EXHIBIT C-2




Figure 1 Seattle, Lake Shore & Eastern Railway (now BNSF) location